

CITY OF DANBURY
DEPARTMENT OF PUBLIC WORKS



155 DEER HILL AVENUE
DANBURY, CONNECTICUT 06810
(203) 797-4537 FAX (203) 796-1586

MAYOR
Honorable Mark D. Boughton

PUBLIC WORKS DIRECTOR
Antonio Iadarola, P.E.

March 30, 2010

Honorable Mayor Mark D. Boughton
Honorable Members of the Danbury City Council
155 Deer Hill Avenue
Danbury, CT 06810

RE: Monthly report for February 2010

Dear Mayor Boughton and Members of the City Council:

I am pleased to present to you the Public Works Department report for the month of February.

The Public Works Department is thinking spring and looking forward to the warmer weather. Danbury was hit hard with five (5) storm events. The storm on the 23rd thru the 26th delivered almost three (3) inches of rain. New England weather is what it is and we will still be dealing with winter conditions for a few more weeks.

I have been working with the Association of Public Works Professionals for the Housatonic Valley and the State of Connecticut Department of Emergency Management and Homeland Security to secure two (2) portable variable signs to use for emergency situations. The signs were approved and are stored at the airport. They are for the use of the entire Region 5. We are once again, researching emergency training workshops geared for Public Works employees.

Planning is underway for our spring projects. The spring offers the opportunity to begin drainage work, prepare the playing fields and parks and many other activities for the beautification of the City.

Should you have any questions regarding this report or any of the separately submitted division reports please call me at 797-4537.

Construction Services report submitted by Thomas H. Hughes III, Superintendent:

Backus Avenue Bridge over Miry Brook: The project was bid in December with a spring construction start. We coordinated with Yankee Gas Co. and CL&P for the relocation of the utility poles. There should be no utility relocation issues during construction. Met with the low bidder, Hemlock Construction, and performed an in depth scope review item by item. We are awaiting approval from ConnDot to award the project

Kenosia Spray Park: We met with the Public Utilities consultant, LGB, and forwarded information for the change of use permit required by the State Department of Health due to the proximity of the drinking water wells. LGB has answered all the State Department of Health's comments. The final Drinking Water Quality Management Plan for construction to the State Department of Health has been submitted.

East Franklin Street Bridge over Padanaram Brook: The DOT has issued a report for this structure, identifying the undermining of the abutment from scour. In conjunction with the Engineering Division, we have hired an on-call engineer, Stantec, to evaluate the repair. Once the evaluation is completed, Stantec will issue a repair method to the City Engineer.

Park Avenue School Roof: The closeout phase has been completed.

Williams Street: The notice to proceed was issued on August 12, 2009 to Reliable Excavation, the low bidder. The contractor mobilized to the site on August 27, 2009. The drainage phase has been completed. The sidewalks & curbing have been installed on Williams Street, project limit to project limit. We were able to field adjust the road grade along the northerly side of Williams Street from the West Wooster St. intersection down the hill, successfully removing the existing eight inch crown in the road. We have met with each homeowner within the project limits explaining the project and grade changes which will require the City to enter their property to grade. This work will encompass matching the driveways and front walkways to the new grades. Each property owner has signed a temporary right to enter, which includes a hold harmless clause to the City and its agents. I would like to also express that the entire neighborhood and property owners have expressed their thanks to the City for this project. The project is at substantial completion with several small items to be completed in the spring.

Homeless Shelter: Construction Services, with the Health Department Director, Scott Leroy, developed a scope of work for a CDGB project. The project will encompass installing a video system for security and make energy efficient improvements to the existing structure. The bids were opened. Reliable was the low bidder and came in as estimated within our budget. The contract has been signed and the contractor will be mobilizing. We expect completion the first week of April.

B.I. Access Project -06-06: The contract was awarded to Earthmovers Inc. The first phase, the widening of Benson Drive, has been completed. Benson Drive has been paved and curbing installed binder course. The landscaping, top soiling and seeding of the shoulders and slopes on Benson Drive is complete. This phase includes the drainage installation on the southerly side of Briar Ridge Road, which has been completed. The utility companies have installed the new poles on Briar Ridge Road. CL&P & Comcast have completed their relocation. AT&T has chosen to upgrade infrastructure also. The contractor has completed relocation of the underground CL&P

conductors along the westerly side of Old Ridgebury Road. This additional work was unforeseen. The conductors are 13,300 Volts feeding the industrial complexes and B.I. While digging test pits to locate these conductors, we discovered there was insufficient cover and they conflicted with the road widening and drainage. We met with CL&P on 9/24/09 and have scheduled all the other utility companies' relocations. The relocation of the utilities is the key to completing the project. We continue to have constant communication with the utility companies on a daily basis. Each utility company is taking the opportunity to upgrade its infrastructure, which is further pushing out the schedule. We met with DECD and the contractor to request additional crews nine hour days and Saturday working hours. The DECD is receptive to this and we presented that the half time be paid through the project grant. This acceleration is necessary due to all the unforeseen utility conflicts and utility company relocations. The contractor has completed the widening and drainage along the easterly side of Old Ridgebury Road from Larsen CT along 40-42 Old Ridgebury Road. The DECD approved the City's request to add sidewalks and a handicap ramp along this property from Larson CT south. The sidewalks and widening, including paving, has been completed.

The traffic control boxes for the new traffic signalization at the intersection of Benson / Briar Ridge and Old Ridgebury Road have been installed. The cut over to the new signals has been completed also per the City Traffic Engineer. The contractor is in winter shutdown from 12/01/09 – 3/31/10. The traffic signalization work will continue through the winter.

We continue to assist the Engineering Division with the design of the up coming White Street & Lincoln Avenue projects. Both are being designed in house by the City Engineer and his staff.

Should you have any questions regarding this report, please do not hesitate to call me at 203-797-8069.

Engineering report submitted by Farid L. Khouri, P.E., City Engineer

Assessment Projects:

- Briar Ridge Road, Rolf's Drive, Greta Drive and Cel Bret Drive Sanitary Sewer: At the November Meeting, the Common Council voted to refer this project to an ad hoc committee.
- Oak Lane and Haddy Lane Sanitary Sewer: Expanded sewer project. Revised design completed. Mail survey to be sent out soon.
- Alexander D: In-house design and estimate are complete, and mail survey will be sent out within the next couple of months.
- Fairway Drive, Royal Pine Drive, Country Way, Hausmann Road Sanitary Sewer Assessment: In-house design is complete, and estimate will be done soon.
- Shannon Ridge Road, Fairlawn Avenue, Edgewood Street and Westville Avenue Extension Sanitary Sewer; in-house design is complete, and estimate will be done soon.

Traffic Division: In addition to routine activities of repair and maintenance of traffic control signal devices and pavement markings, the Division is currently working on design of coordination of traffic lights on Backus Avenue from Sugar Hollow Road to Kenosia Avenue; maintenance of the City-wide communication network; optimization of traffic signal

synchronization operations as well as design of the intersection of Germantown Road and Hospital Avenue. Other duties and responsibilities include review and approval of land-use development plans and coordination activities with the State of Connecticut Department of Transportation and HVCEO on planning, funding, design and construction of all transportation projects within the City.

Staff Engineers:

- Review various site plans, water and sewer applications, special exception applications, and subdivision applications for land-use approval of on-going development projects throughout the City.
- Field inspection of sanitary sewer, water mains and new roads are performed regularly on various developments.
- Reviews of long-standing drainage problems, including site visits, analysis and design.

Survey crew: Currently working on Backus Avenue Signal Coordination, Lincoln Avenue Paving and Drainage Project, Tarrywile Park Parking, Ventura Drive Area Drainage Study, Verification of R.O.W. on tree issues and locating storm drainage outfalls for the entire City using GPS equipment.

Lincoln Avenue: Design is being done in-house and is 95% complete. Funding is part of ARRA/CDBG. Our office has prepared final drainage system design to collect the storm water runoff along Lincoln Avenue. Contract specifications are being compiled and the cost estimate is finalized. We are waiting for final approval to bid the project.

Stimulus road packages: Design is complete, and project was advertised. Bids will be opened on March 23, 2010.

Backus Avenue Bridge: Bids were opened, and we are compiling all legal documents from the contractor for State approval. Construction to start in March and be completed in late fall 2010.

Should you have any questions regarding this report or any other issues related to your Engineering Division, please do not hesitate to contact me at 797-4641.

Highway Department report submitted by Duke Hart, Superintendent of Public Services:

During the month of February the Highway Division has continued to maintain the roadways of Danbury.

There were five (5) weather related events in February. Throughout the month, the construction crew cut-back ice build-ups in several areas. After each of the storms, the crew was also busy performing plow repairs. Dredging and ice-cutting was performed at several locations. Eight (8) crews have been dedicated to patching potholes, weather permitting. I would like to thank the Parks Maintenance Department for assisting us with this task.

New signage was installed at four (4) locations and several repairs were completed throughout the City. The crew also replaced several stolen signs.

The garbage truck continues to pick-up debris, litter and the barrels throughout the City and downtown areas. The recycling truck is also out daily collecting items from the residents. Five (5) days were dedicated to litter collection throughout the City.

Should you have any questions regarding this report, please feel free to contact me at 797-4605.

Parks Maintenance submitted by Duke Hart, Superintendent of Public Services:

The Parks Maintenance Division was very busy during the month of February maintaining its areas of responsibility during and after the storm events occurring during the month. This division is responsible for maintaining walkways, parking lots, crosswalks, bridges and other areas throughout the City.

Crew members from Parks Maintenance were pleased to assist the Highway Department filling the profuse number of potholes. Winter maintenance work continues in order to prepare the mowers and field equipment for the spring.

Should you have any questions regarding this report, please feel free to contact me at 796-1558.

Forestry Division report submitted by Mark Miller, Foreman Forestry Department:

The Forestry Division was very active during the month of February.

A substantial pruning and tree removal project has been undertaken on Sherry Lane, Apple Blossom Lane, Pond Ridge Road, Circle Drive and Valerie Drive. These improvements will provide more sun light to reduce ice build-up, greater visibility and safer driving conditions in that area.

Take-downs and pruning was performed at the following locations: Segar Street, Southern Boulevard, Stevens Street and Harding Place. The department responded to tree calls on Main Street, Shoreview Drive and Great Plain Road.

The crew also did snowplowing, sanding and shoveling in the downtown area and schools throughout the City.

Should you have any question regarding this report, please feel free to contact me at 797-4609.

Public Buildings report submitted by Rick Palanzo, Superintendent of Public Buildings:

We have interviewed the top candidates for our Maintenance Mechanic III positions and have made our recommendations to Mayor Boughton. I anticipate two licensed Maintenance Mechanic's to join the Public Buildings staff in March 2010. Many thanks to the Human Resources and Civil Service personnel for their efforts in promulgating the eligibility list, and assisting in the interview process of many, qualified candidates.

EECBG Grant: Our application has been received and reviewed by Department of Energy personnel at the Oak Ridge Tennessee facility. Our reviewer provided recommendations to our original submission that would allow for swift acceptance and approval by the DOE grants

person. Together with our consultant, Source One, we are gathering the information and shall provide the revised submission of our energy conservation projects which will insure compliance with our reviewer's recommendations. I anticipate that this work will be completed by mid-March.

City Hall: The O.S.H.A requirement to identify hazardous materials at City Hall has been completed by Enviromed Services. The hazardous material management report, for asbestos and lead will be completed by March and will be distributed to the Risk Manager and Director of Public Works offices for safe keeping. A letter will be sent to all department heads at City Hall informing them of the existence of these documents and their location. All personnel doing any work at city hall that may disturb known hazardous materials will be able to review the report and follow the safety procedures to insure a safe work environment.

The Otto Company has been awarded the contract to furnish and install the required ducts designed by Friar Associates Engineering Services for supply air to the generator room. When the duct is installed the generator project will be 100% complete. I anticipate completion before the end of March 2010.

Library: The HVAC upgrade Phase II to replace the air handlers and the chiller at the Danbury Public Library has been awarded and the work should commence in March. I am asking the architect, engineer and contractor to work together quickly to get this project essentially completed before May 15, 2010. If all goes according to plan, we will have a new energy efficient system supplying cooling and ventilation to the entire library before the real hot weather begins.

We will be working with Honeywell Corporation to install a WebStat, remote building management system in the Library Tech Center. This device will allow us to better control the environment in the tech center. This is the same device that we have been successfully using in the Elmwood and Veterans Hall. I anticipate a savings in the electrical and heating fuel accounts going forward. This device should be installed and working by the end of March or beginning of April.

Old Police Buildings: The old police buildings at 116 -120 Main St. and 8 Boughton St. have been emptied of debris and are officially decommissioned.

Old Jail Building: The used medical equipment stored in the basement of the Old Jail has been successfully transferred to Share Joy for shipment to the island of Haiti to help in the relief effort for the earth quake victims. Over the next several weeks we will continue to clean out the debris from the Old Jail that has accumulated over the years.

Requests for Maintenance and Repairs: Attached please find the statistical analysis for repairs and maintenance work that the Public Buildings Mechanics engaged in during the month of February. In the month of February we received 158 new work requests and completed 147 work requests. In reviewing this report, you will find the repair time that was expended in major work categories, (current month versus previous month). Also listed is the total number of work order hours completed, (current month versus the previous month).

Our department was heavily engaged in electrical repairs of the City's buildings and schools with a total of 154.50 man-hours dedicated to this service. The next largest area of concentration was

in mechanical repair work, utilizing 81.00 man-hours of labor. Plumbing work came in as the third highest category with 75.50 man-hours.

Should you have any questions regarding this report, please do not hesitate to contact me at 797-4584. I am happy to discuss any portion of this report with you.

See appendix "A" for attachments.

Public Utilities report submitted by David Day, Superintendent of Public Utilities:

Enclosed is the monthly report to the Common Council for activities that took place in February 2010. Also attached is the Public Utilities Vehicle Maintenance Report.

As of March 19, 2010 there are 82 hydrants out of service. Repairs to hydrants are continuing. I will be happy to review the information with you.

Should you have any questions regarding this report, please do not hesitate to contact me at 797-4539.

See appendix "B" for attachments.

Sincerely,

Antonio Iadarola, P.E.

Antonio Iadarola, P.E.
Director of Public Works

AI/dgs

cc: Jean Natale, City Clerk
David Day, P.E., Public Utilities Division
Duke Hart, Public Services Division
Tom Hughes, Construction Services Division
Farid Khouri, P.E., Engineering Division
Richard Palanzo, Public Buildings Division
Mark Miller, Forestry Division
Mark Saumell, Equipment Maintenance

APPENDIX "A"

PUBLIC BUILDINGS

City of Danbury
Danbury Monthly Report February 2010

	Labor Hours	Total Hours This Month	Total Hours Last Month	Difference	
Carpentry		2.00	0.00	2.00	100.00
City Bldgs	2.00				
Schools	0.00				
Electrical		154.50	58.50	96.00	62.14
City Bldgs	32.00				
Schools	122.50				
HVAC		37.50	12.00	25.50	68.00
City Bldgs	0.00				
Schools	37.50				
Locksmith		0.00	1.50	-1.50	0.00
City Bldgs	0.00				
Schools	0.00				
Maintenance		14.50	47.50	-33.00	-227.59
City Bldgs	11.00				
Schools	3.50				
Mechanical		81.00	37.50	43.50	53.70
City Bldgs	79.00				
Schools	2.00				
Plowing		5.50	0.00	5.50	100.00
City Bldgs	0.00				
Schools	5.50				
Plumbing		75.50	134.00	-58.50	-77.48
City Bldgs	9.00				
Schools	66.50				
Roofing		0.00	6.00	-6.00	0.00
City Bldgs	0.00				
Schools	0.00				

New Work Requests received this month 158
Work Requests Completed this month 147

Appendix "B"

Public Utilities Attachments

M E M O R A N D U M

DATE: March 12, 2010
TO: City of Danbury, Common Council
FROM: *David M. Day, P.E.*, Superintendent – February 2010
RE: Sanitary Sewer Collection System Maintenance

Complaints: 8

Number Received: 8

Number Completed: 8

Pipe Cleaned: 3,000 LF

Gallons of Water Used: 10,000

Pipe Inspected:

TO : City Council - City of Danbury
FROM : David Day, Superintendent of Public Utilities
DATE : March 16, 2010
RE : WATER DEPARTMENT REPORT: FEBRUARY 2010

I. WATER PRODUCTION :

A) Margerie Water Treatment Facility :	<u>84.2</u>	<u>MG.</u>
B) West Lake Water Treatment Facility :	<u>94.9</u>	<u>MG.</u>
C) Kenosia Well Field :	<u>0</u>	<u>MG.</u>
D) Osborne Street Well Field :	<u>0</u>	<u>MG.</u>
E) Other :	<u>0</u>	<u>MG.</u>

(MG. = Million Gallons)

II. RAINFALL :

A) Month :	<u>4.9</u>	<u>inches</u>
B) Past 12 Months (running total) :	<u>59.0</u>	<u>inches</u>
C) Current Year (Jan.- Current Mo.) :	<u>7.7</u>	<u>inches</u>

III. WATER STORAGE :

date: 2/1/2010

	<u>Current Reading</u>		<u>Historical Average</u>	
A) East Lake Reservoir :	<u>100.0</u>	%	<u>87.1</u>	%
B) Margerie Lake Reservoir :	<u>100.0</u>	%	<u>89.4</u>	%
C) West Lake Reservoir :	<u>100.0</u>	%	<u>88.4</u>	%
D) Total :	<u>100.0</u>	%	<u>88.6</u>	%

IV. WATER PUMPED :

A) Park Avenue Pump Station :	<u>0</u>	<u>MG.</u>
B) Padanaram(High School) Pump Station :	<u>4.29</u>	<u>MG.</u>
C) Shelter Rock Pump Station :	<u>2.56</u>	<u>MG.</u>

From: Walter Royals, Project Manager **Walter Royals**

Subject: WPCP Report For Month of: Feb '10

Date: 3/12/10

I. Wastewater Treatment:

A)	Sewage Processed:	9.5	MGD (Daily Avg)	266.6	Million Gallons Total
B)	Septic Waste Processed:			420,350	Gallons Total
C)	Sludge Pumped To Digesters:			287,925	Pounds Total

II. Wastewater Quality

		Influent	Effluent	% Removal	Effluent Limit
A)	BOD (mg/l)	231	8	97	30 mg/l and 85%
B)	Total Suspended Solids (mg/l):	236	4	98.1	30 mg/l and 85%
C)	Total Phosphorus (mg/l):	4.3	2.0	53	1.5 mg/l
D)	Ammonia (mg/l):	24.0	0.35	99	4.0 mg/l
E)	Total Nitrogen (lbs/Day):	2,077	984	53	520 lbs/day

Note: Phosphorus limits apply May - September.

Nitrogen limit for credit only.

III. Pump Station Operation:

A)	Beaver Brook:	604.5	Hours Run
B)	Southfield:	33.7	Hours Run
C)	Mill Plain:	679.9	Hours Run
D)	Backus:	204.9	Hours Run
E)	Tarrywile	101.6	Hours Run
F)	Turner Road:	34.7	Hours Run
G)	Ford Avenue:	22.5	Hours Run
H)	Indian Glen:	93.5	Hours Run
I)	Delay Street:	18.5	Hours Run
J)	Hayestown Road:	46.4	Hours Run
K)	Kenosia Avenue:	1.9	Hours Run
L)	Larson Drive:	87.7	Hours Run
M)	Landfill:	160.7	Hours Run
N)	Thrope Street	27.6	Hours Run
O)	Poets Landing	9.9	Hours Run

Total Station Alarms: 16

EQUIPMENT MAINTENANCE

<u>DATE</u>	<u>VEHICLE</u>	<u>REPAIR DONE</u>	<u>DEPT.</u>
2/1/2010	06-E-40	SEASONAL OVERHAUL	HIGHWAY
	05-F-46	WATER PUMP/PULLEYS	HIGHWAY
	03-S-11	CHECK FLUID LEVELS	HIGHWAY

	05-F-54	REPAIR LIGHTS	HIGHWAY
	97-I-27	FILL HYDRAULIC FLUID	HIGHWAY
	90-I-5	REPAIR BRAKE AIR LEAK	HIGHWAY
	09-P-37	REPAIR HYDRAULIC LEAK	HIGHWAY
	42DA	REMOVE DEBRIS WEDGED BETWEEN REAR TIRES	FORESTRY
2/2/2010	06-E-40	SEASONAL OVERHAUL	HIGHWAY
	05-F-46	WATER PUMP/PULLEYS	HIGHWAY
	PLOW CREW	FABRICATE PLOW HOSES	HIGHWAY
	01-F-50	FILL POWER STEERING FLUID	HIGHWAY PUBLIC BLDGS
	112DA	INTAKE GASKET	BLDGS
	07-P-25	REPAIR EXHAUST	HIGHWAY
	03-S-30	ADJUST BRAKES/GREASE BODY	HIGHWAY
	03-S-11	GREASE BODY/ADJUST CONVEYOR CHAIN	HIGHWAY
2/3/2010	00-I-8	REMOVE MUDFLAP BRACKET	HIGHWAY
STORM	06-E-40	SEASONAL OVERHAUL	HIGHWAY PUBLIC BLDGS
	112DA	INTAKE GASKET/BRAKES	BLDGS
	00-I-3	HEATED MIRRORS INOP.	HIGHWAY PUBLIC BLDGS
	247DA	REPAIR PLOWLIGHT	BLDGS
2/4/2010	06-E-40	SEASONAL OVERHAUL	HIGHWAY PUBLIC BLDGS
	112DA	INTAKE GASKET/BRAKES	BLDGS
	97-C-61	AIR-UP TIRES	HIGHWAY
	05-I-34	REPLACE AUGER CHAIN/REAR TIRES	HIGHWAY
	05-F-46	REPLACE ALTERNATOR/SERPENTINE BELT	HIGHWAY
	03-I-9	TOW IN-BLOWN TURBO ASSEMBLY	HIGHWAY
2/5/2010	06-E-40	SEASONAL OVERHAUL	HIGHWAY PUBLIC BLDGS
	112DA	INTAKE GASKET/BRAKES	BLDGS
	05-I-34	REPLACE REAR TIRES	HIGHWAY
	97-I-29	REPAIR RIGHTSIDE MIRROR	HIGHWAY
	315DA	DIAGNOSE-REPAIR NO START WIRING PROBLEM	HIGHWAY
	03-S-11	COOLANT LEAK-WATER PUMP	HIGHWAY
	03-I-9	REPLACE ENGINE TURBO ASSEMBLY	HIGHWAY
	90-I-17	REPLACE 1 REAR TIRE	HIGHWAY
	00-I-8	CHECK FLUID LEVELS	HIGHWAY
2/6/2010	03-I-9	REPLACE ENGINE TURBO ASSEMBLY	HIGHWAY
	03-S-11	COOLANT LEAK-WATER PUMP	HIGHWAY PUBLIC BLDGS
	112DA	INTAKE GASKET/BRAKES	BLDGS
	06-E-40	SEASONAL OVERHAUL	HIGHWAY
	272DA	REAR BROKEN SHOCK MOUNT	PARKS
2/8/2010	03-S-11	COOLANT LEAK-WATER PUMP	HIGHWAY
	272DA	REAR SHOCKS/BRAKE LINES	PARKS
	90-I-17	INSTALL BATTER BOX COVER	HIGHWAY
	94-I-4	REPAIR LIGHTS/ADJUST BRAKES	HIGHWAY
	94-I-15	REPAIR STICKING THROTTLE	HIGHWAY
	06-E-40	SEASONAL OVERHAUL	HIGHWAY
	124DA	ROAD SERVICE-NO HEAT	AIRPORT
	00-I-19	GREASE SANDER	HIGHWAY

	96-I-20	REPAIR SIGNAL LIGHTS	HIGHWAY
	03-I-14	ADJUST BRAKES	HIGHWAY
	123DA	REPLACE REAR TIRES	AIRPORT
2/9/2010	96-I-20	REPAIR LIGHTS	HIGHWAY
	06-E-40	SEASONAL OVERHAUL	HIGHWAY
	03-I-9	REPLACE TURBO ASSEMBLY/SERVICE	HIGHWAY
	97-I-29	REAR BRAKE CHAMBER/HOOD LATCH	HIGHWAY
	97-I-86	REPLACE SIDE CYLINDER HYD. HOSE	HIGHWAY
	94-I-4	REPLACE RIGHTSIDE MIRROR	HIGHWAY
	97-I-85	REPAIR SANDER LIGHTS	HIGHWAY
	03-I-14	ADJUST BRAKES	HIGHWAY
	90-I-17	FILL HYDRAULIC FLUID	HIGHWAY
2/10/2010	07-P-44	PTO INOP.	HIGHWAY
STORM	97-I-23	REPAIR LIGHTS	HIGHWAY
	260DA	REPLACE PLOWLIGHT BULB	PUBLIC BLDGS
	05-I-32	CHECK BRAKE AIR LEAK	HIGHWAY
	349DA	REPLACE LEFTSIDE WIPER ARM LINKAGE	PARKS
	97-I-86	REPAIR ENGINE HOOD	HIGHWAY
	97-I-23	ROAD SERVICE-OIL LEAK	HIGHWAY
	00-I-87	SIGNAL LIGHTS INOP.	HIGHWAY
2/11/2010	96-I-33	ROAD SERVICE-THROTTLE STUCK	HIGHWAY
STORM	00-I-87	REPAIR HYDRAULIC LEAK	HIGHWAY
CONT.	47DA	HEADLIGHT OUT	PARKS
	94-I-15	ADJUST BRAKES	HIGHWAY
2/16/2010	97-I-23	STARTER PROBLEM	HIGHWAY
STORM	94-I-4	STRAIGHTEN SANDER CHUTE	HIGHWAY
	07-P-25	REPAIR PLOW FITTING	HIGHWAY
	96-I-33	RADIATOR/FAN HUB	HIGHWAY
	94-I-4	THROTTLE STICKING	HIGHWAY
	07-P-44	PTO PUMP/UNIT	HIGHWAY
	03-I-9	REAR FLAT REPAIR	HIGHWAY
	90-I-5	HOOK-UP PLOW HOSES	HIGHWAY
	90-I-17	OIL/WATER LIGHT ON-CHECK FLUIDS	HIGHWAY
	94-I-15	FILL HYDRAULIC FLUID	HIGHWAY
	94-I-48	NO HEAT-REPLACE HEATER BLOWER MOTOR	HIGHWAY
	97-C-61	ROAD SERVICE-JUMP START	HIGHWAY
	03-S-11	REPAIR COOLANT OVERTANK/HOSE	HIGHWAY
	94-I-4	REPLACE FAN BELT	HIGHWAY
	07-P-18	REPLACE FUEL/AIR FILTERS	HIGHWAY
	03-I-14	REPLACE HYDRAULIC HOSE	HIGHWAY
	97-I-23	ROAD SERVICE-REPAIR WIRING TO STARTER	HIGHWAY
		ROAD SERVICE-REMOVE ROCK WEDGED IN REAR TIRES	HIGHWAY
	97-I-2		HIGHWAY
	07-P-25	REPLACE FUEL/AIR FILTERS	HIGHWAY
2/17/2010	07-P-44	PTO PUMP/UNIT	HIGHWAY
STORM	05-I-32	REAR TIRES/OIL PAN/SERVICE	HIGHWAY
CONT.	96-I-33	RADIATOR/FAN HUB	HIGHWAY
	97-I-86	REPAIR FENDER INNER PAD ASSEMBLY	HIGHWAY
	30DA	SERVICE/LIST	BLDG INSP
	77DA	SERVICE/4 WHEEL BRAKES	HIGHWAY

2/18/2010	06-E-40	SEASONAL OVERHAUL	HIGHWAY
	06-E-40	SEASONAL OVERHAUL	HIGHWAY
	05-I-32	FINISH SERVICE	HIGHWAY
	30DA	FOUR WHEEL BRAKE JOB	BLDG INSP
	28DA	REPAIR LIGHTS	PARKS
	07-P-25	SERVICE	HIGHWAY
	03-S-30	SERVICE/CHECK & ADJUST BRAKES	HIGHWAY
	03-I-14	REAR TIRE FLAT REPAIR	HIGHWAY
	106DA	REPLACE RADIATOR AND HOSES	HIGHWAY
	94-I-6	REPAIR LIGHTS	HIGHWAY
	90-I-5	REPAIR LIGHTS/ADJUST BRAKES	HIGHWAY
	96-I-20	REPAIR LIGHTS	HIGHWAY
	94-I-15	REPAIR HYDRAULIC LEAK	HIGHWAY
	09-P-37	REPAIR EXHAUST	HIGHWAY
2/19/2010	09-P-37	REPAIR EXHAUST	HIGHWAY
	106DA	REPLACE RADIATOR AND HOSES	HIGHWAY
	STREET SIGNS	INSTALL LICENSE PLATES	HIGHWAY PUBLIC BLDGS
2/20/2010	247DA	REPLACE PLOW HEADLIGHT BULB	HIGHWAY
	94-I-4	REAR BRAKES	HIGHWAY
	96-I-33	RE-INSTALL RADIATOR,REPLACE FAN HUB, ETC.	HIGHWAY
	94-I-4	REAR BRAKES	HIGHWAY
2/22/2010	96-I-33	RE-INSTALL RADIATOR,REPLACE FAN HUB, ETC.	HIGHWAY
	05-I-26	SERVICE/OIL PAN/SANDER SPINNER	HIGHWAY
	96-I-33	RE-INSTALL RADIATOR,REPLACE FAN HUB, ETC.	HIGHWAY
	05-I-26	SERVICE/OIL PAN/SANDER SPINNER	HIGHWAY
	96-I-20	REPAIR SHIFTER PROBLEM	HIGHWAY
	05-F-54	REPLACE 2 REAR TIRES	HIGHWAY
	355DA	REPLACE BATTERY	PARKS
	97-I-29	REPAIR LIGHTS	HIGHWAY
	97-I-86	REPAIR SANDER CONTROL/REPAIR LIGHTS	HIGHWAY
	09-P-12	REPLACE AUGER SPRING	HIGHWAY
	00-I-8	CHECK FLUIDS AND TOP OFF	HIGHWAY
	90-I-47	NO START-REPLACE STARTER	HIGHWAY
	00-I-87	REPLACE IGNITION SWITCH	HIGHWAY
	97-I-85	REPAIR LIGHTS	HIGHWAY
07-P-18	REPAIR EXHAUST/ADJUST BRAKES	HIGHWAY	
2/23/2010 STORM	05-I-31	TIGHTEN SANDER HOLDOWN CHAINS	HIGHWAY
	97-I-2	SANDER LIGHTS/ADJUST BRAKES	HIGHWAY
	90-I-5	FILL HYDRAULIC FLUID	HIGHWAY
	94-I-15	ADJUST BRAKES	HIGHWAY
	90-I-47	REPLACE STARTER-FUEL LINE	HIGHWAY
	94-I-4	WIPER BLADES	HIGHWAY
	06-E-40	SEASONAL OVERHAUL	HIGHWAY
	151DA	SERVICE-FRONT BRAKES	FORESTRY
	97-I-27	ADJUST BRAKES	HIGHWAY
	05-I-26	REPLACE PLOW ANGLE CYLINDERS	HIGHWAY
	96-I-33	REPLACE LIGHT BULB	HIGHWAY
	355DA	WIPER BLADES	PARKS
	94-I-4	CHECK/ADJUST BRAKES	HIGHWAY

	64DA	SERVICE-SWAY BAR LINKS	PUBLIC BLDGS
	00-I-8	REPAIR EXHAUST	HIGHWAY
	00-I-16	COOLANT LIGHT ON-FILL SYSTEM	HIGHWAY
	09-P-28	ROAD SERVICE-RAN OFF THE ROAD	HIGHWAY
	90-I-5	REPLACE SANDER LIGHT BULB	HIGHWAY
2/24/2010	00-I-7	INSTALL PLOW PIN/CLIP	HIGHWAY
STORM	09-P-28	CHECK FOR DAMAGE	HIGHWAY
			PUBLIC BLDGS
CONT.	64DA	SERVICE/SHOCKS/SWAY BAR LINKS	BLDGS
	00-I-7	REPAIR HYDRAULIC LEAK	HIGHWAY
			PUBLIC BLDGS
	158DA	FLAT REPAIR/PLOW CYLINDER	BLDGS
	06-E-40	SEASONAL OVERHAUL	HIGHWAY
	05-I-1	PLOWLIGHT BULB	HIGHWAY
	172DA	DUMPBODY INOP.	PARKS
	00-I-8	REPAIR EXHAUST	HIGHWAY
			PUBLIC BLDGS
	260DA	REPAIR LIGHTS	BLDGS
	94-I-6	REPLACE AIR BRAKE VALVES	HIGHWAY
	97-I-86	REPAIR HYDRAULIC LEAK	HIGHWAY
	09-P-28	REPAIR EXHAUST LEAK	HIGHWAY
	96-I-20	TRANSMISSION SHIFTER PROBLEM	HIGHWAY
2/25/2010	03-I-9	WIPER BLADES	HIGHWAY
STORM	96-I-20	REPAIR TRANSMISSION SHIFTER PROBLEM	HIGHWAY
			PUBLIC BLDGS
	252DA	RPLACE PLOW SWING CYLINDER/HEADLAMP SERVICE	BLDGS
	06-C-49	SERVICE	HIGHWAY
	349DA	REPAIR LIGHTS	PARKS
	90I-17	STRAIGHTEN SANDER CHUTE	HIGHWAY
	09-P-28	HEATED MIRRORS INOP.	HIGHWAY
	03-I-14	CHECK/FILL ANTI-FREEZE	HIGHWAY
	00-I-19	REPLACE SANDER LIGHT BULB	HIGHWAY
			PUBLIC BLDGS
	64DA	FRONT SHOCKS/FINISH SERVICE	BLDGS
	124DA	ROAD SERVICE-INSTALL AUX. HEATER	AIRPORT
	94-I-6	ELECTRICAL-SHORT UNDER DASH	HIGHWAY
2/26/2010	90-I-17	SANDER INOP.-OPEN CHUTE	HIGHWAY
STORM	94-I-6	REPAIR ELECTRICAL SHORT UNDER DASH	HIGHWAY
CONT.	05-I-34	WIPER BLADES	HIGHWAY
	00-I-8	REPLACE RADIATOR CAP-FILL SYSTEM	HIGHWAY
	97-I-27	REPLACE SANDER LIGHT BULB	HIGHWAY
	05-I-31	STRAIGHTEN SANDER CHUTE	HIGHWAY
	97-I-2	FILL HYDRAULIC OIL	HIGHWAY
	00-I-16	REPLACE HYDRAULIC HOSE	HIGHWAY
	124DA	ROAD SERVICE-CHECK AUX. HEATER	AIRPORT
	00-I-7	REPLACE POWER STEERING HOSE-2 TIRES	HIGHWAY
	05-I-1	RADIATOR FAN CLUTCH PROBLEM	HIGHWAY
	05-I-26	REPAIR HYDRAULIC LEAK	HIGHWAY
	96-I-20	FILL HYDRAULIC OIL	HIGHWAY
2/27/2010	05-F-54	REPLACE PLOWALMP ASSEMBLY	HIGHWAY
STORM	00-I-7	PLOW HOOK-UP	HIGHWAY

CONT.

252DA REAR FLAT REPAIR
00-I-7 PLOW FITTINGS

158DA REPLACE PLOWLIGHT BULB

PUBLIC
BLDGS
HIGHWAY
PUBLIC
BLDGS

**MAINTENANCE REPORT - BUILDING # 6
2/1/2010**

2/1/2010 157DA POLICE SERVICE BRAKES
11DA POLICE LIGHTS WIPERS
2/2/2010 243DA POLICE LIGHTBAR TIRE

2/3/2010	354DA	POLICE	LIGHTS WIPERS
	192DA	AIRPORT	TRANNY
2/4/2010	192DA	AIRPORT	TRANNY
	DET	POLICE	BRAKES
2/5/2010	DET	POLICE	BRAKES
	192DA	AIRPORT	TRANNY
	243DA	POLICE	LIGHTBAR TIRE
2/8/2010	2DA	POLICE	NO START
	243DA	POLICE	SHORT
	192DA	AIRPORT	TRANNY
2/9/2010	192DA	AIRPORT	TRANNY
	2DA	POLICE	NO START
	352DA	POLICE	LIGHTS ENGINE LIGHT
2/11/2010	37981	SENIOR	LIFT GATE
	352DA	POLICE	ENGINE LIGHT
2/16/2010	2DA	POLICE	NOISE
	337DA	POLICE	FLAT R/C
2/17/2010	181DA	POLICE	SERVICE LIGHTS BRAKES
	274DA	HEALTH	SERVICE
2/18/2010	255DA	POLICE	SERVICE
	DET	POLICE	4X4
	114DA	WATER	STARTER RADIATOR
2/19/2010	327DA	WATER	HOSE
	176DA	WATER	SERVICE
	255DA	POLICE	SERVICE
	DET	POLICE	4X4
2/23/2010	DET	POLICE	REMOVE RADIO
	10DA	POLICE	ENGINE LIGHT SERVICE
2/24/2010	DET	POLICE	EXHAUST STRUTS
	10DA	POLICE	ABS
	257DA	POLICE	BATTERY
2/25/2010	10DA	POLICE	ENGINE LIGHT
	DET	POLICE	EXHAUST STRUTS
2/26/2010	10DA	POLICE	ENGINE LIGHT
	DET	POLICE	EXHAUST STRUTS