

**CITY OF DANBURY**  
**DEPARTMENT OF PUBLIC WORKS**



**155 DEER HILL AVENUE**  
**DANBURY, CONNECTICUT 06810**  
**(203) 797-4537 FAX (203) 796-1586**

**MAYOR**  
**Honorable Mark D. Boughton**

**PUBLIC WORKS DIRECTOR**  
**Antonio Iadarola, P.E.**

February 25, 2013

Honorable Mayor Mark D. Boughton  
Honorable Members of the Danbury City Council  
155 Deer Hill Avenue  
Danbury, CT 06810

**RE: Monthly report for January 2012**

Dear Mayor Boughton and Members of the City Council:

I am pleased to present the Public Works Department report for the month of January.

All divisions of Public Works have been keeping up with the four (4) storms that hit during the month of January. The Parks Maintenance Division has been making repairs and performing maintenance to the equipment that is used in the spring and summer. All Division Managers and myself have been heavily engaged in budget preparations and attending internal and external meetings.

In addition, we are heavily involved in managing design meetings for considerable a amount of capital work expected to be commenced this summer. We are also aggressively searching for used equipment to purchase for internally performed maintenance programs.

Should you have any questions regarding any of the separately submitted division reports please call me at 203-797-4537.

**Construction Services Report submitted by Thomas Hughes III, Superintendent:**

**White Street ARRA Project:** With the remaining balance of our ARRA funding, ConnDot has supported a formal request from the City of Danbury to install crosswalks and pedestrian signals on White Street.

ConnDot has approved and processed the change order request. The contractor has ordered the electrical components and we will be moving forward with this additional work.

**Tarrywile Park:** We are looking into replacing some leader pipes and gutters with the remaining LOCIP funds unencumbered from the mansion roof project, which came in under budget. There is a second project, period door replacement of three exterior doors. We have procured the material. The new door set hardware, panic bars and closures are in the process of being ordered. This work will also be performed using our in-house resources and paid for by a different LOCIP Grant.

**Head Start:** Banton Construction continues to move forward. The building is weather tight at this point. The mechanical contractors have mobilized and the MEP installation is at approximately 50% completion. We met with the director of CT Institute for the Communities, Jim Maloney and the Director of the Head Start program to address some additional security measures. We have issued a change order for the additional security measures requested. The contractor is approximately six weeks behind schedule.

**Citizens Volunteer Fire House:** Met with Chief Herald to review the scope of work for the replacement of the windows and siding using our in-house resources. The Chief has indicated we will be moving forward with the project shortly. The work will be performed using our in-house resources for labor and material.

#### **Danbury Innovation Center**

Construction Services is assisting the Public Buildings Division with the project. We are in the process of quoting the demo/abatement phase using our in house resources. We also will be quoting the renovation framing and carpentry using our in house resources.

#### **Snow Removal Ordinance Enforcement**

Construction Services has been enforcing the snow removal ordinance. We have been responding to 311 complaints of uncleared sidewalks etc. Construction Services has been issuing warnings, citations and further actions if warranted. Construction Services has also established a data base of warnings and citations issued. We are able now to trend the data from year to year and identify properties that have been slow to comply with the City Snow Removal Ordinance.

Should you have any questions regarding this report, please do not hesitate to call.

#### **Engineering Report submitted by Farid L. Khouri, P.E., City Engineer:**

The following **assessment projects** are the only projects pending on the list based on residents' petitions:

1. Johnson Drive and Pembroke Terrace Sanitary Sewer Extension: Referred to an Ad Hoc committee at the City Council meeting.
2. Butternut Lane, Bayberry Lane and Boxwood Lane Sanitary Sewer Extension: Working on preliminary design and cost estimate.
3. Hawley Road Extension Sanitary Sewer Extension: Working on preliminary design and cost estimate.

**Long Ridge Road Bridge:** In-house design was finalized for construction. We are working on a traffic pattern plan to be followed during construction. We are still waiting on securing an easement from one of the neighbors.

**East Franklin Street Bridge:** We completed the design to relocate the existing sewer in the brook with an above-ground pump station. Also, we met with the contractor and his engineer to address the scour problem that exists in the abutment walls of the bridge during the sanitary sewer relocation. We are working on securing a State permit to relocate the sewer line.

**Miscellaneous Schools (Park Avenue, Shelter Rock, Stadley Rough and Mill Ridge):** The preliminary design on the schools has started and we are meeting weekly with the design team to meet State deadlines. Stadley Rough School is at 100% design and we are completing all necessary documents for State acceptance.

**Traffic Engineer and his technicians** are reviewing various land-use development plans; handling of public complaints and routine repair and maintenance of traffic control signal devices and pavement markings. The Backus Avenue corridor traffic lights plans and specifications have been accepted by the State and will be bid out next month. Construction will begin in early spring of 2013 for one season.

**Staff engineers** are reviewing various site plans, water and sewer applications, special exception applications, and subdivision applications for various land-use approvals of on-going development projects throughout the City. Field inspection of sanitary sewer, water mains and new roads are performed regularly on various developments. Review various drainage problems, including site visits, analysis and design.

**Survey crew** verifies various R.O.W., prepares surveys and easements for in-house design of City projects and assists other divisions in locating utilities in the field.

Should you have any questions regarding this report or any other issues related to your Engineering Division, please do not hesitate to contact me at (203) 797-4641.

**Highway Division Report submitted by Duke Hart, Superintendent of Public Services:**

The Highway Division responded to four (4) weather related events during the month of January. The construction crew was busy with plow repairs after each storm. Three (3) crews have been deployed to patch and fill potholes throughout the City. A two-man crew has been organized to repair mailboxes when needed.

The weather did not permit any new construction projects, however we did repair guiderails in three (3) locations. Several dirt and unimproved roads were graded to improve accessibility for emergency services. The Christmas tree pick-up program commenced and we appreciate the assistance of the Parks Maintenance Division with this task. There were no new signs installed but numerous repairs were performed.

The recycling truck is out, weather permitting and remains a popular destination for the residents. The garbage truck goes out daily to empty the trash cans and other debris in the downtown area. Drivers have been dispatched to collect litter along their routes, weather permitting.

Should you have any questions regarding this report, please feel free to contact me at 203-797-4605.

**Parks Maintenance Report submitted by Duke Hart, Superintendent of Public Services:**

The Parks Maintenance Division assisted with four (4) storm related events. Plowing, shoveling, sanding and salting sidewalks and parking lots at City buildings and schools were performed. Weather permitting, the crew assisted with pothole repairs, collecting debris such as shopping carts, litter and branches. The crew was pleased to assist with the installation of the portable ice rink in Rogers Park. The Parks Maintenance Division was also pleased to assist the Highway Division with the Christmas tree pick-up program.

In preparation for the spring season, the mechanic was busy performing maintenance and repairs to the lawn equipment.

Should you have any questions regarding this report, please feel free to contact me at 203-796-1558.

**Forestry Division Report submitted by Mark Miller, Foreman, Forestry Department:**

January was a very busy month for the Forestry Division due to the snow and wind storms that moved into the area. This four man team worked many long hours to perform clean-up work at numerous locations throughout the City. Storm clean-up was performed at the following locations: Aunt Hack Road, Chambers Road, Driftway Road, Richter Drive, Dana Road, Great Plain School, Bear Mountain Road, Wooster Heights Road, Flirtation Drive, Middle River Road, Long Ridge Road, Ridge Road, Pleasant Drive, Westville Avenue, Beckett Street, Rolfs Drive, Starrs Plain Road and Old Ball Pond.

The crew also performed tree maintenance at the following locations: Joe's Hill Road, Ridge Road, Great Plain Road, Peace Street, Birch Road, Diamond Road, Tarrywile Lake Road, Starrs Plain Road, Main Street, Brushy Hill Road and Lilac Lane.

The crew also assisted with plowing and sanding during snow events.

Should you have any questions regarding this report, please feel free to contact me at 203-797-4609.

**Public Buildings Report submitted by Rick Palanzo, Superintendent of Public Buildings:**

**City Hall:** The new seating and carpeting project planned for the city council chambers has been ordered and the installation will begin in March.

There is a committee currently evaluating the security measured in City Hall. The committee will look at facility security, employee security and providing a safe environment in which to work. When the committee finishes its work, they will make recommendations to the Mayor. The Public Buildings staff will implement the approved security measures.

**Farrington Park- Westside Open Space:** The chow house at the Farrington Park is getting closer to completion. The painter has finished his work and the flooring contractor will perform his work. I anticipate advertising in early spring as the possibility of obtaining a tenant in the winter time is remote.

The main house at Farrington Park will be the temporary home for the Friends of the Library books being made ready for their annual book sale. They have to vacate their space at the Library annex so that the renovation of that space can take place.

**Danbury Public Schools:** The DHS energy project final phase will be to replace the auditorium heating and ventilating system with a new energy efficient heating, ventilating and air conditioning system. This

has been a goal of many and will now come to fruition. There is a significant lead time required to obtain the required HVAC unit, but the goal is to have this unit operational before the air conditioning is needed.

The Alternative School on Locust Avenue has been undergoing a waterproofing project that includes masonry replacement, repair, and waterproofing as well as replacing the roof and gutter. The decorative cornice, which is being manufactured in Georgia, will be installed before the end of February. The lower level windows have been ordered and are being fabricated. Installation is anticipated to begin in April.

The roofs at Morris Street School and 49 Osborne Street are in need of replacement. I have requested that the funding to replace these two roofs be placed in the 2014 capital budget.

**Old Library:** The elevator at the Old Library was out of service pending replacement of the main lift piston. The clean up and replacement occurred during the month of January. The elevator is now in service.

**Solar Energy Projects:** In conjunction with the Connecticut Conference of Municipalities, the City of Danbury is participating in a solar energy feasibility study to determine if there are viable sites for Photovoltaic solar energy generation facilities. The sites under consideration consist of Danbury High School, Broadview Middle School and Stadley Rough Elementary School. The CCM engineers and contractors will evaluate the sites and conditions and present us with their offers. Danbury is under no obligation to accept or participate further. It is a good exercise to determine the viability of electricity generation from the sun in the City.

**Requests for Maintenance Service:** Attached please find the statistical report for repairs and maintenance work that the Public Buildings Mechanics engaged in during the month of January 2013. In the month of January we received 227 new work requests and completed 165 work requests. In reviewing this report, you will find the repair time that was expended in major work categories, (current month versus previous month). Also listed is the total number of work order hours completed, (current month versus the previous month).

Public Buildings Mechanics were engaged in plumbing repairs with a total of 158.50 man-hours dedicated to this service. The next largest area of concentration was in electrical repair work, utilizing 113.75 man-hours of labor. General maintenance work came in as the third highest category with 35.25 man-hours.

Should you have any questions regarding this report, please do not hesitate to contact me at 203-797-4584. I am happy to discuss any portion of this report with you.

**Public Utilities Report submitted by David Day, Superintendent of Public Utilities:**

Enclosed is the monthly report to the Common Council for activities that took place in January 2013. Also attached is the Public Utilities Vehicle Maintenance Report.

As of February 14, 2013 there are 96 hydrants out of service. Repairs to hydrants are continuing. I will be happy to review the information with you.

Sincerely,

*Antonio Iadarola, P.E.*

Antonio Iadarola, P.E.  
Director of Public Works

# APPENDIX "A"

## PUBLIC BUILDINGS

CITY OF DANBURY  
PUBLIC BUILDINGS DIVISION  
WORK REQUEST REPORT FOR JANUARY 2013

Work Requests received this month	227
Work Requests Completed this month	165

Category	Total Labor Hours
Alarms	0.00
Carpentry	21.00
Electrical	113.75
HVAC	0.00
Locksmith	5.75
Maintenance	35.25
Mechanical	16.75
Plumbing	158.50
Roofing	13.00
Snow Plowing	0.00

Labor Hours City Buildings	124.00
Labor Hours School Buildings	240.00

---

# MEMORANDUM

---

**DATE:** February 5, 2013  
**TO:** City of Danbury, Common Council  
**FROM:** *David M. Day, P.E.*, Superintendent – January 2013  
**RE:** Sanitary Sewer Collection System Maintenance

Complaints: 9

---

Number Received: 9

---

Number Completed: 9

---

Pipe Cleaned: 1500 FT

---

Gallons of Water Used: 12,000

---

Pipe Inspected:

---

COMMENTS:



**To:** David Day, P.E., Supt. of Public Utilities, City of Danbury

**From:** Walter Royals, Project Manager **Walter Royals**

**Subject:** WPCP Report For Month of: Jan '13

**Date:** 2/8/2013

**I. Wastewater Treatment:**

A)	Sewage Processed:	8.7	MGD (Daily Avg)	270.0	Million Gallons Total
B)	Septic Waste Processed:			372,700	Gallons Total
C)	Sludge Pumped To Digesters:			268,424	Pounds Total

II.	Wastewater Quality	Influent	Effluent	% Removal	Effluent Limit
A)	BOD (mg/l)	203	7	96	30 mg/l and 85%
B)	Total Suspended Solids (mg/l):	198	5	97.7	30 mg/l and 85%
C)	Total Phosphorus (mg/l):	4.1	2.1	49	1.0 mg/l
D)	Ammonia (mg/l):	27.2	0.58	98	4.0 mg/l
E)	Total Nitrogen (lbs/Day):	2,657	402	85	452 lbs/day

Note: Phosphorus limits apply May - September.

Nitrogen limit for credit trading only.

**III. Pump Station Operation:**

A)	Beaver Brook:	722.3	Hours Run
B)	Southfield:	33.2	Hours Run
C)	Mill Plain:	613.2	Hours Run
D)	Backus:	197.1	Hours Run
E)	Tarrywile	62.0	Hours Run
F)	Turner Road:	23.7	Hours Run
G)	Ford Avenue:	22.2	Hours Run
H)	Indian Glen:	98.0	Hours Run
I)	Delay Street:	18.9	Hours Run
J)	Hayestown Road:	80.9	Hours Run
K)	Kenosia Avenue:	25.0	Hours Run
L)	Larson Drive:	51.5	Hours Run
M)	Landfill:	255.9	Hours Run
N)	Thrope Street	9.5	Hours Run
O)	Poets Landing	8.4	Hours Run
P)	Rogers Park	16.4	Hours Run
P)	West Side	40.3	Hours Run

Total Station Alarms: 2

TO : City Council - City of Danbury  
 FROM : David Day, Superintendent of Public Utilities  
 DATE : February 14, 2013

RE : WATER DEPARTMENT REPORT: JANUARY 2013

---

\*\*\*\*\*

I. WATER PRODUCTION :

A) Margerie Water Treatment Facility :	<u>77.5</u>	MG.
B) West Lake Water Treatment Facility :	<u>93.2</u>	MG.
C) Kenosia Well Field :	<u>0</u>	MG.
D) Osborne Street Well Field :	<u>0</u>	MG.
E) Other :	<u>0</u>	MG.

( MG. = Million Gallons )

II. RAINFALL :

A) Month :	<u>2.4</u>	inches
B) Past 12 Months (running total) :	<u>40.9</u>	inches
C) Current Year (Jan.- Current Mo.) :	<u>2.4</u>	inches

III. WATER STORAGE :

date: 1/2/2013

	<u>Current Reading</u>		<u>Historical Average</u>	
A) East Lake Reservoir :	<u>98.8</u>	%	<u>85.4</u>	%
B) Margerie Lake Reservoir :	<u>91.1</u>	%	<u>87.1</u>	%
C) West Lake Reservoir :	<u>79.2</u>	%	<u>86.0</u>	%
D) Total :	<u>86.8</u>	%	<u>86.4</u>	%

IV. WATER PUMPED :

A) Park Avenue Pump Station :	<u>0</u>	MG.
B) Padanaram(High School) Pump Station :	<u>4.80</u>	MG.
C) Shelter Rock Pump Station :	<u>2.00</u>	MG. (estimate)

D) WestConn Pump Station :	1.44	MG.
E) Margerie Pump Station :	2.13	MG.
F) Pleasant Acres:	3.72	MG.
G) Nabby Road:	1.49	MG.
H) Harvest Hill:	2.46	MG.
I) West Lake High Service :	45.9	MG.
J) Total Water Pumped (A-I) :	63.9	MG.
	( MG. = Million Gallons )	

V. WATER TRANSFERRED :

A) East Lake to Margerie Reservoir :	0	MG.
B) Padanaram to Margerie Reservoir :	0	MG.
C) Kohanza to West Lake Reservoir :	0	MG.
D) Kenosia Diversion to West Lake Reservoir :	0	MG.
E) Kenosia Wells to West Lake Reservoir :	0	MG.
F) Total Water Transferred (A-E):	0	MG.
	( MG. = Million Gallons )	

VI. ALGAE CONTROL :

- A) None
- B)
- C)

VII. SURVEY OF WATER SOURCES :

- A) Daily testing of treated and untreated water by Water Quality Laboratory.
- B)

VIII. SUPERINTENDENTS NOTES :

\_\_\_\_\_  
 \_\_\_\_\_

## MAINTENANCE REPORT - BUILDING # 6

### POLICE

1/1/2013

1/2/2013	13DA	POLICE	ALTERNATOR
	113DA	POLICE	STEERING COLUM
	8DA	POLICE	FLAT
	6DA	POLICE	U JOINTS ELECTRICAL
	113DA	POLICE	STEERING COLUM
1/4/2013	206DA	HWY	NO HEAT BLEND DOOR MOTOR
	13DA	POLICE	SERVICE BRAKES
	6DA	POLICE	U JOINTS ELECTRICAL
1/7/2013	11DA	POLICE	BRAKES SERVICE
	6DA	POLICE	DRIVE SHAFT
1/8/2013	9DA	POLICE	RADIATOR
	6DA	POLICE	U JOINTS ELECTRICAL
1/9/2013	9DA	POLICE	RADIATOR
	6DA	POLICE	U JOINTS ELECTRICAL
1/10/2013	9DA	POLICE	RADIATOR
	206DA	HWY	HEATER CORE
	6DA	POLICE	U JOINTS ELECTRICAL
1/11/2013	278DA	HEALTH	SERVICE BATTERY THEMOSTAT MOTOR MOUNT
	157DA	POLICE	REAR END SERVICE BRAKES
	6DA	POLICE	U JOINTS ELECTRICAL
1/14/2013	240DA	POLICE	ENGINE NOISE
	6DA	POLICE	ELECTRICAL
	269DA	HEALTH	FLAT R/C
1/15/2013	269DA	HEALTH	TIRES
	181DA	POLICE	TRANNY
	240DA	POLICE	ALTERNATOR
1/17/2013	157DA	POLICE	REAR END SERVICE BRAKES
	181DA	POLICE	TRANNY
1/18/2013	157DA	POLICE	REAR END SERVICE BRAKES
	181DA	POLICE	TRANNY
	91DA	ENG	SERVICE
1/22/2013	DET	POLICE	NO START

	141DA	PARKS	TIRES SWAY BAR LINKS SERVICE
	181DA	POLICE	TRANNY
	186DA	POLICE	FLAT R/C
1/23/2013	181DA	POLICE	TRANNY
	141DA	PARKS	NO HEAT
	354DA	POLICE	BATTERY
	DET	POLICE	BRAKES SERVICE BATTERY
1/24/2013	181DA	POLICE	TRANNY
	DET	POLICE	SERVICE
1/25/2013	181DA	POLICE	TRANNY
	DET	POLICE	BRAKES SERVICE
	223DA	POLICE	FRONTEND
1/28/2013	5DA	POLICE	SERVICE
	6DA	POLICE	SERVICE
1/29/2013	9DA	POLICE	TIRES SERVICE BRAKES
	12DA	POLICE	ELECTRICAL
1/30/2013	354DA	POLICE	ENGINE LIGHT
1/31/2013	15DA	POLICE	FRONTEND

### MAINTENANCE REPORT - BUILDING # 6

#### WATER

1/1/2013

1/2/2013	276DA	WATER	ELECTRICAL
	152DA	WATER	ELECTRICAL
1/7/2013	89DA	WATER	ENGINE LIGHT NO HEAT
1/8/2013	89DA	WATER	ENGINE LIGHT NO HEAT
1/9/2013	89DA	WATER	NO HEAT
1/11/2013	273DA	WATER	STROBES
1/14/2013	89DA	WATER	ENGINE LIGHT
1/15/2013		WATER	INSTALL SANDERS
1/16/2013	159DA	WATER	NO PARK
	338DA	WATER	HORN
1/17/2013	159DA	WATER	NO PARK SERVICE TIRES
1/23/2013	89DA	WATER	BATTERY
1/30/2013	114DA	WATER	BRAKES
1/31/2013	159DA	WATER	ELECTRICAL

## EQUIPMENT MAINTENANCE

Date	Vehicle	Repair Provided	Department
11/1/12	5	Lights	Highway
	40	SB's	Highway
	44	Service	Highway
	3	Undercarriage	Highway
	272DA	Remove Leaf box	Parks
	172DA	Service/LS Door Handle	Parks
	83	Loose SB Bolt	Highway
	46	Belt Idler	Highway
	65DA	Batteries	Highway
	11/2/12	11	Cut tail gate bracket
40		MB	Highway
46		Service/LR seal/lights	Highway
34		Tail gate pins	Highway
4		Dash Lights	Highway
21DA		Idler pulley/Belts	Highway
11/3/12	21DA	Front Pads W/P	Highway
	46	Idler pulley/Belts	Highway
	4	Dash Lights/Battery Ground	Highway
	33	Coolant leak	Highway
11/5/12	40	Logs stuck/ drag board	Highway
	33	Radiator	Highway
	87	Dash lights	Highway
	21DA	Water Pump	Highway
	48	Jump Start	Highway
	83	MB SB	Highway
	31	Front signal Harness	Highway
	3	Install Body	Highway
11/6/12	32	Tenco all 4 rear tire	Highway
	83	All brooms	Highway
	3	Lights	Highway
	42 DA	Hyd Leak	Tree
	87	Rear trans seal	Highway
11/7/12	9	Injectors	Highway
	9	Injectors	Highway
	3	Lights	Highway
	14	Auger L/S rear tires	Highway
	16	Wipers	Highway

	15	Hyd Oil	Highway
	37	Sander door bracket	Highway
	7	Rf Air tire	Airport
	21	Strobes	Highway
	55-15-24-29	Install Sanders	Highway
	26	Hyd Hose	Highway
	151DA	Plow lights	Tree
	172DA	Blower	Parks
	10	Lights	Highway
	16-7-2-8-21	Install Sanders	Highway
	390DA	Check plow function	Tree
	8	Wiper arm and blades	Highway
11/8/12	47	Plow Cable	Highway
	59	Install plow bracket	Highway
	8	Coolant leak	Highway
	15	Comp. Belt	Highway
	26	Hyd Hose	Highway
	55	Spinner hose	Highway
	50	Plow fram/ lights	Highway
	25	Hyd Leak	Highway
	30DA	LR Flat	Building Inspector
	77	Air leak	Highway
11/9/12	9	Injectors	Highway
	3	Disconnect Sander	Highway
	23	PTO	Highway
	147DA	Plow piston bolt	Building Maintenance
	15	Belt/Adj Brakes	Highway
	20	Plow control handle	Highway
	7	Cab Shield	Highway
	2	Tighten sander chains	Highway
11/10/12	7	Cab Shield	Highway
	9	Injectors	Highway
	23	PTO	Highway
11/13/12	56DA	Wipers	Parks
	9	Injectors	Highway
	7	Cab Shield	Highway
	40	Drag Board	Highway
	187Da	Wipers	Parks
	Tenco Plow	Weld Center bolt	Highway
	8	Lower Hose	Highway
	44	LS Windshield	Highway
	15	Batteries	Highway
	37	W/S Wipers Rear tires	Highway
11/14/12	15	Fan Belt	Highway

	38	Jump Start	Highway
	8	Jump Start	Highway
	47	Hydraulics	Highway
	33	Radiator	Highway
11/15/12	288DA	Service	Building Maintenance
	9	2 front tire	Highway
	33	Radiator	Highway
	8	Hyd Leak	Highway
	18	Exhaust/brakes/mirror/ lights	Highway
11/16/12	40	Head lights/ check master	Highway
	8	Hyd Hose	Highway
	18	Exhaust brake	Highway
	144DA	No start alternator	Building Inspector
11/17/12	42 DA	Service	Tree
	37	Wiper Mtr	Highway
	8	Hyd Hose	Highway
11/19/12	42DA	Lights/Cooling system	Tree
	11	Wipers	Highway
	18	Trans cooler/coolant pipe	Highway
	24	Free auger/adjust	Highway
	25	Service LR tires	Highway
11/20/12	18	Trans cooler/coolant pipe	Highway
	40	S/B's	Highway
	25	Service	Highway
11/21/12	18	Trans cooler/coolant pipe	Highway
	25	Service/Hyd leak	Highway
	30	Coolant leak	Highway
	40	H2O System	Highway
11/26/12	30	Rear brakes	Highway
	161DA	Service	Building Inspector
	23	Side dump Hyd Hose	Highway
	40	PTO	Highway
	105	O.F.F.	Highway
	75DA	Rear wipers	Building Inspector
	9	Coolant leak	Highway
	33	Radiator	Highway
11/27/12	85-21-3-16	Install Sanders	Highway
	34	Adjust Brakes	Highway
	26	Wipers	Highway
	33	Radiator	Highway
	92DA	RF axel	Parks
	247DA	Plow lights	Building Maintenance
	6	Check lights	Highway
	136DA	Signal lights	Building Inspector

	25	Hyd	Highway
	50	Check springs	Highway
11/28/2012	50	Air tires/ grease augers	Highway
	349 DA	Head lights	Parks
	86	Adjust Brakes	Highway
	25	Hyd	Highway
	54	Work lights	Highway
	Leaf Machine	Hook to truck 6	Highway
	181	Adjust Brakes	Highway
11/29/2012	11	Wiper module	Highway
	86	Rear brakes	Highway
	6	Leaf box rubber	Highway
	83	Grease tubes	Highway
	34	Sander light	Highway
	85	Tighten sander chains	Highway
	191DA	RF Headlight	Building Inspector