

ROOF FRAMING PLAN

1/8" = 1'-0"

1. TOP OF STEEL ELEVATION NOTED THUS [xxx].
2. ROOF DECK SHALL BE 1½" DEEP, 22 GA., PAINTED, WIDE RIB, TYPE 'B' ROOF DECK BY UNITED STEEL DECK, INC.
3. ► DESIGNATES MOMENT CONNECTION. SEE DETAIL ON DRAWING S1



FOUNDATION PLAN

3/8" = 1'-0"

1. BOTTOM OF NEW FOOTING ELEVATIONS NOTED [xxx].
2. DO NOT UNDERMINE EXISTING FOUNDATIONS.
3. BOTTOM OF NEW FOOTING ELEVATION SHALL MATCH BOTTOM OF EXISTING FOOTING ELEVATION AT INTERSECTION BETWEEN NEW AND EXISTING.

FOOTING SCHEDULE				
MARK	SIZE	THK.	REINFORCING EA. WAY, BOT.	REMARKS
F4	4'-0"x4'-0"	12"	5-#6	-
F4A	4'-0"x4'-0"	24"	5-#6	MATCH BOTTOM OF EXIST. FTG.



TYPICAL CANTILEVER BEAM DETAIL

¾" = 1'-0"



SECTION

¾" = 1'-0"



BRACED FRAME ELEVATION ALONG 'CC' & 'EE'

1/8" = 1'-0"



ROOF DECK PENETRATION REINFORCING DETAIL

NOT TO SCALE.



PLAN



A-A

TYPICAL ROOF OPENING FRAME

¾" = 1'-0"



NOTES: MASONRY ANCHOR (SEE WALL TIE) SHALL BE INSTALLED IN VERTICAL HEAD JOINT OF CMU. PROVIDE A FULL MORTARED HEAD JOINT AT EACH ANCHOR LOCATION.
SEE ARCHITECTURAL DRAWINGS FOR CMU WALL LOCATIONS.

INTERIOR MASONRY WALL BRACING DETAIL

NOT TO SCALE





BASE PLATE DETAILS

¾" = 1'-0"

RECEIVED

STATE PROJECT #034-89-115 EA

Antinozzi Associates Architects
4021 Main Street
Stratford, Connecticut

DANBURY SCHOOLS REORGANIZATION
CITY OF DANBURY
PARK AVENUE ELEMENTARY SCHOOL
DANBURY, CONNECTICUT

FOUNDATION AND ROOF FRAMING PLANS

CAFETERIA ADDITION

DeStefano Associates
Consulting Structural Engineers
50 Thorpe Street
Fairfield, CT 06430
(203) 254-7131

STATE OF CONNECTICUT — DESTEFANO — #11184 — 30 JUN 2021

CHECKED BY JEP | SCALE AS NOTED | DATE 23 JUL 2021 | JOB NO. 20022 | S15-3