TEACHER'S WK. CENTER
GUIDANCE
DIRECTOR
G.T.
B.T.
RECORDS
GUIDANCE LIBRARY
CONFERENCE
GUIDANCE
SEAL TYPE 2 OPNG. ABOVE EM.
SEAL TYPE 3 OPNG. BELOW EM.
P-1
L-2
STOR.
SEAL TYPE 2 OPNGS. AROUND CONDUITS
SEAL TYPE 1 OPNGS. ABOVE EM. ENTIRE CORR.
SEAL TYPE 3 OPNG. BELOW EM. ENTIRE CORR.
SEAL TYPE 3 OPNG. BELOW EM.
SEAL TYPE 1 OPNGS ABOVE EM.
CLASSROOM
CLASSROOM
CLASSROOM
FIL. & H.
L-G
CUT NEW DR. OPNG. MODIFY EXIST. ELEC. DEVICES
RELOCATE CHALKBD.
CLASSROOM
CLASSROOM
CLASSROOM
SEAL TYPE 2 OPNGS. AROUND CONDUITS
CENTER BETWEEN EXIST. CBT. (TYP.)
NEW MASTER CLOCK SHUT-OFF. EXTEND FROM DEMO TABLE (TYP. @ SCI. & BIOLOGY RMS.)
GENERAL SCIENCE
DEMO TABLE
SEAL TYPE 1 OPNG. ABOVE EM.
SEAL TYPE 3 OPNG. BELOW EM.
SEAL TYPE 1 & 2 OPNGS AROUND DUCTS
PREP
GENERAL SCIENCE
CHEM. ST.
PLANT RM.
SEAL TYPE 2 OPNGS. AROUND PIPES.
NEW SMOKE BARRIER TO STRUCT. ABOVE
LCD VERT. MULLIONS
NEW DETECTOR 5'-0" FROM SMOKE BARRIER
GENERAL SCIENCE
RELOCATE EXIST. CHALKBD.
CLASSROOM
SEAL TYPE 3 OPNG. BELOW EM.
SEAL TYPE 1 OPNG. ABOVE EM.
SEAL TYPE 1 & 2 OPNGS AROUND DUCTS
CUT NEW DR. OPNG. MODIFY EXIST. ELEC. DEVICES
BIOLOGY
RAMP DOWN
RAMP DOWN
SEAL TYPE 2 OPNG. ABOVE EM.
SEAL TYPE 3 OPNG. BELOW EM.
P-2
JC.
STOR.
SEAL TYPE 1 OPNGS ABOVE EM.
SEAL TYPE 3 OPNG. BELOW EM.
CLASSROOM
CLASSROOM
CLASSROOM
RELOCATE EXIST. CHALKBD.
CUT NEW DR. OPNG. MODIFY EXIST. ELEC. DEVICES
CLASSROOM
CLASSROOM
CLASSROOM

KEY PLAN
NOT TO SCALE

GRAPHIC SCALE: 1/8"=1'-0"
0 5 10 15 20 25

CODE UPDATE WORK
SCHOOL FACILITIES
CITY OF DANBURY, CONNECTICUT

BROADVIEW J.H.S.
UNIT A - FIRST FLOOR

CARLIN-POZZI-CHIN ARCHITECTS, P.C.
3 LINCOLN STREET, NEW HAVEN, CONNECTICUT

date	1 JULY 85
scale	1/8"=1'-0"
drawn	FO, MF
checked	DMC
approved	
drawing no:	A 3