C.R.

SCHOOL STORE

REPLACE EX. 12 ALUM DR W/ WIRE GR. & M.G. PANELS

7/A29 A29

1/A29 A29

REMOVE FACES OF EXIST. EXIT SIGNS & REPLACE W/ FACES W/ ARROWS

CAFETERIA

STAGE

STORAGE

REMOVE EXIST. WD. PTN. & DR. PATCH FLR. & CLG. TO MATCH EXIST.

REPLACE EXIST. D.F. W/ 1HR D.F. W/ CLOSER

REMOVE ROLLDOWN SHUTTER ASSY.

HATCH TO FAN RM ABOVE

IRR. MESH ENCLOSURE (5-0 HIGH) W/ SWING MG GATE W/ LOCK

6'-4" CLEAR

6'-0" x 6'-0" COLD FORGE DRY TRANSFORMER FIT.

PROVIDE ANSUL FIRE SUPPRESSION SYST. @ EXH. HOOD

KITCHEN

EXHAUST HOOD

M.H. M.H.

2/A29 A29

REPLACE EXIST. WD. DR. & PTN. W/ 1HR I.RL. RTD ASSEMBLY TIGHT TO SLC.

7/A29 A29

UNIT 'A' UNIT 'B'

CR

COATS

ST.

W.T.

REMOVE DOORS & MULLION & PATCH FRAME

M.H.

NEW DETECTOR & FLOTRON ENGINE BARRIER

20'-0"

REPLACE EXIST. EXIT SIGN

NEW SMOKE BARRIER TIGHT TO CLG.

REMOVE DR. HOLDER & CORRIDOR DR'S. (TYP.)

CENTER NEW DETECTOR BETWEEN EXIST. DETECTORS (TYP.)

BOILER ROOM

ONLY AS NOTE: REMOVE HANDLE FOR BREAKER IN SWITCHBOARD "UP" FOR ON & DOWN FOR OFF. REVISE SWITCHBOARD CONFIGURATION AS REQ'D.

E.R.

TRANS.

STORAGE

MOUNT ON WALL

TEACHER'S

2/A29 A29

7/A29 A29

FAN RM. ABOVE STAGE STOR.

P.C. HATCH

KEY PLAN

UNIT 'A'

UNIT 'B'

UNIT 'C'

GRAPHIC SCALE: 1/8"=1'-0"

0 5 10 15 20 25

CODE UPDATE WORK
SCHOOL FACILITIES
CITY OF DANBURY, CONNECTICUT

MILL RIDGE INTERMEDIATE SCHOOL
UNIT A

CARLIN-POZZI-CHIN ARCHITECTS, P.C.
3 LINCOLN STREET, NEW HAVEN, CONNECTICUT

date	1 JULY '85
scale	1/8"=1'-0"
drawn	FO, MP
checked	DWC
approved	
drawing no.	A 29