

News Report by Date
Conducted 9/1/2014 to 9/30/2014

905 **Angelo's Pizza** 9/16/2014 score **87**
108 South St **Pass**

- 15 Good hygienic practices, smoking restricted
 - 24 Sanitization rinse(hot water-chemicals)
 - 26 Food contact surfaces of utensils & equipment clean
 - 30 Hot and cold water under pressure, provided as required
 - 62 Written Documentation of training program
 - 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
 - 44 Floors;floor covering installed,constructed as required,good repair,clean
 - 49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.
-

1007 **Bangkok Restaurant** 9/17/2014 score **94**
72 Newtown Rd **Pass**

- 15 Good hygienic practices, smoking restricted
 - 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
 - 41 Disposed of in an approved manner, at approved frequency
 - 43 Outer openings protected against entrance of insects/rodents
 - 50 Dustless cleaning methods used, cleaning equipment properly stored.
-

1594 **BIG DADDY CATERING (#017)** 9/4/2014 score **94**
1 Purchase St. **Pass**

- 18 Single service articles, storage, dispensing
 - 26 Food contact surfaces of utensils & equipment clean
 - 10 Food dispensing utensils properly stored
 - 25 Clean wiping cloths
-

933 **Broadview Middle School** 9/16/2014 score **98**
Hospital Avenue **Pass**

- 28 Equipment/utensils, storage handing
 - 44 Floors;floor covering installed,constructed as required,good repair,clean
-

News Report by Date
Conducted 9/1/2014 to 9/30/2014

954 **Burger King #1101** 9/9/2014 score **93**
66 Newtown Rd **Pass**

- 7 Food protected during storage, preparation, display, service and transportation.
- 42 Presence of insects/rodents
- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 44 Floors;floor covering installed,constructed as required,good repair,clean
- 46 Floor, wall juncture covered
- 49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.

826 **Chamomille Natural Foods, Inc.** 9/10/2014 score **86**
58/60 Newtown Rd. **Pass**

- 4 Adequate facilities to maintain product temperature, thermometers provided
- 24 Sanitization rinse(hot water-chemicals)
- 26 Food contact surfaces of utensils & equipment clean
- 61 Designated Alternate Qualified Food Operator
- 62 Written Documentation of training program
- 14 Clean outer clothes, effective hair restraints
- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 23 Accurate thermometers provided, dish basket, if used
- 44 Floors;floor covering installed,constructed as required,good repair,clean

2386 **Chipotle Mexican Grill #1933** 9/9/2014 score **84**
7 Backus Ave. **Pass**

- 4 Adequate facilities to maintain product temperature, thermometers provided
- 7 Food protected during storage, preparation, display, service and transportation.
- 8 Food containers stored off floor
- 9 Handling of food minimized
- 24 Sanitization rinse(hot water-chemicals)
- 26 Food contact surfaces of utensils & equipment clean
- 42 Presence of insects/rodents

News Report by Date
Conducted 9/1/2014 to 9/30/2014

- 25 Clean wiping cloths
- 28 Equipment/utensils, storage handling
- 44 Floors;floor covering installed,constructed as required,good repair,clean
- 55 Establishment and premises free of litter, no insects/rodents harborage, no unnecessary articles

1532 **Della Francesca** 9/9/2014 score **87**
35 Lake Ave Ext **Pass**

- 4 Adequate facilities to maintain product temperature, thermometers provided
- 7 Food protected during storage, preparation, display, service and transportation.
- 24 Sanitization rinse(hot water-chemicals)
- 42 Presence of insects/rodents
- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 23 Accurate thermometers provided, dish basket, if used
- 25 Clean wiping cloths
- 33 Location, installation, maintenance
- 39 Approved containers, adequate number, covered, rodent proof, clean

1545 **El Milenio Vending Truck (#005)** 9/4/2014 score **94**
1 Dogwood Dr. **Fail**

- 3 Potentially hazardous food meets temp. reqs. during storage,prep., display, service & transporation Automatic Failure
- 30 Hot and cold water under pressure, provided as required

1045 **El Milennio Restaurant** 9/2/2014 score **80**
21 North Street **Fail**

- 3 Potentially hazardous food meets temp. reqs. during storage,prep., display, service & transporation Automatic Failure
- 5 Potentially hazardous food properly thawed
- 15 Good hygienic practices, smoking restricted
- 26 Food contact surfaces of utensils & equipment clean
- 42 Presence of insects/rodents
- 10 Food dispensing utensils properly stored

News Report by Date
Conducted 9/1/2014 to 9/30/2014

- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 28 Equipment/utensils, storage handling
- 39 Approved containers, adequate number, covered, rodent proof, clean
- 40 Storage areas/rooms, enclosures - properly constructed, clean
- 43 Outer openings protected against entrance of insects/rodents
- 49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.
- 50 Dustless cleaning methods used, cleaning equipment properly stored.

1545 **El Milennio Vending Truck (#005)** 9/3/2014 score **93**
 1 Dogwood Dr. **Fail**

- 3 Potentially hazardous food meets temp. reqs. during storage,prep., display, service & transporation Automatic Failure
- 15 Good hygienic practices, smoking restricted
- 44 Floors;floor covering installed,constructed as required,good repair,clean

930 **Great Plain School** 9/17/2014 score **99**
 Stadley Rough Rd **Pass**

- 49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.

922 **Hayestown Avenue School** 9/16/2014 score **97**
 42 Tamarack Rd **Pass**

- 26 Food contact surfaces of utensils & equipment clean
- 44 Floors;floor covering installed,constructed as required,good repair,clean

1111 **Jimmies Market** 9/9/2014 score **91**
 38 Germantown Rd **Pass**

- 24 Sanitization rinse(hot water-chemicals)
- 26 Food contact surfaces of utensils & equipment clean
- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 25 Clean wiping cloths
- 44 Floors;floor covering installed,constructed as required,good repair,clean
- 48 Exterior walking, driving surfaces. Good repair,clean

News Report by Date
Conducted 9/1/2014 to 9/30/2014

49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.

935 **Morris Street School** 9/22/2014 score **94**
28 Morris Street **Pass**

- 7 Food protected during storage, preparation, display, service and transportation.
- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 27 Non-Food contact surfaces of utensils & equipment clean
- 46 Floor, wall juncture covered
- 49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.
- 49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.
- 55 Establishment and premises free of litter, no insects/rodents harborage, no unnecessary articles

1105 **N.R. Petro, Inc.** 9/17/2014 score **92**
12 Lake Ave **Fail**

- 3 Potentially hazardous food meets temp. reqs. during storage,prep., display, service & transporation Automatic Failure
- 4 Adequate facilities to maintain product temperature, thermometers provided
- 41 Disposed of in an approved manner, at approved frequency
- 55 Establishment and premises free of litter, no insects/rodents harborage, no unnecessary articles

1137 **Newtown Road Italian Deli** 9/10/2014 score **94**
60 Newtown Road **Pass**

- 24 Sanitization rinse(hot water-chemicals)
- 26 Food contact surfaces of utensils & equipment clean
- 44 Floors;floor covering installed,constructed as required,good repair,clean
- 49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.

927 **Park Avenue School** 9/30/2014 score **98**
Park Avenue **Pass**

- 44 Floors;floor covering installed,constructed as required,good repair,clean

News Report by Date
Conducted 9/1/2014 to 9/30/2014

49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.

1468 **Pho Vietnam Restaurant** 9/10/2014 score **85**
56 Padanaram Road **Pass**

- 60 Qualified Food Operator
- 7 Food protected during storage, preparation, display, service and transportation.
- 16 Food contact surfaces designed, constructed, maintained, installed, located
- 24 Sanitization rinse(hot water-chemicals)
- 26 Food contact surfaces of utensils & equipment clean
- 14 Clean outer clothes, effective hair restraints
- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 23 Accurate thermometers provided, dish basket, if used
- 43 Outer openings protected against entrance of insects/rodents

932 **Shelter Rock School** 9/25/2014 score **98**
2 Crows Nest Road **Pass**

- 39 Approved containers, adequate number, covered, rodent proof, clean
- 44 Floors;floor covering installed,constructed as required,good repair,clean

924 **South Street School** 9/25/2014 score **99**
129 South St **Pass**

- 39 Approved containers, adequate number, covered, rodent proof, clean

823 **St. Gregory the Great School** 9/30/2014 score **98**
85 Great Plain Road **Pass**

- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 28 Equipment/utensils, storage handling

940 **St. Joseph School** 9/30/2014 score **88**
370 Main St **Pass**

- 60 Qualified Food Operator
- 4 Adequate facilities to maintain product temperature, thermometers provided
- 61 Designated Alternate Qualified Food Operator

News Report by Date
Conducted 9/1/2014 to 9/30/2014

- 62 Written Documentation of training program
- 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided
- 39 Approved containers, adequate number, covered, rodent proof, clean
- 44 Floors;floor covering installed,constructed as required,good repair,clean

941 **St. Peter Campus** 9/17/2014 score **99**
98 Main St **Pass**

- 49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.

925 **Stadley Rough School** 9/17/2014 score **93**
25 Karen Road **Pass**

- 16 Food contact surfaces designed, constructed, maintained, installed, located
- 26 Food contact surfaces of utensils & equipment clean
- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 36 Toilet rooms enclosed with self-closing door
- 39 Approved containers, adequate number, covered, rodent proof, clean

819 **Subway/Main St.** 9/25/2014 score **97**
317 Main St. **Pass**

- 25 Clean wiping cloths
- 44 Floors;floor covering installed,constructed as required,good repair,clean
- 49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.

893 **TK's American Cafe** 9/9/2014 score **91**
255 White St **Pass**

- 5 Potentially hazardous food properly thawed
- 16 Food contact surfaces designed, constructed, maintained, installed, located
- 26 Food contact surfaces of utensils & equipment clean
- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided
- 44 Floors;floor covering installed,constructed as required,good repair,clean

News Report by Date
Conducted 9/1/2014 to 9/30/2014

1469	Western CT Academy of International Studies	9/10/2014	score	99
	201 University Boulevard			Pass
	25 Clean wiping cloths			
968	Widow Browns Café	9/11/2014	score	93
	128 Federal Rd			Pass
	24 Sanitization rinse(hot water-chemicals)			
	26 Food contact surfaces of utensils & equipment clean			
	23 Accurate thermometers provided, dish basket, if used			
	27 Non-Food contact surfaces of utensils & equipment clean			
	49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.			
