

CITY OF DANBURY
DEPARTMENT OF PUBLIC WORKS



155 DEER HILL AVENUE
DANBURY, CONNECTICUT 06810
(203) 797-4537 FAX (203) 796-1586

MAYOR
Honorable Mark D. Boughton

PUBLIC WORKS DIRECTOR
Antonio Iadarola, P.E.

December 21, 2007

Honorable Mayor Mark D. Boughton
Honorable Members of the Danbury Common Council
155 Deer Hill Avenue
Danbury, CT 06810

RE: Monthly Report for November 2007

Dear Mayor Boughton and Members of the Common Council:

I am pleased to present to you the Public Works Department report for the month of November.

It was an honor to be present for the dedication of the Bardo Parking Garage with Mr. Charles Bardo in attendance. This five-story structure includes parking for 386, as well as some office space. The Construction Services and Engineering Divisions worked very diligently to bring this beautiful addition to the downtown area and I appreciate their efforts. The site provided some very challenging issues, but the Public Works Department staff was able to effectively deal with them and still bring the project to completion on time and under budget.

The Equipment Maintenance Division has been very busy and, in fact, working overtime to ensure the readiness of the fleet for snow plowing and snow removal operations. With an aging fleet of equipment, they have been challenged to keep the trucks in operating condition and ready for any winter emergencies. There is a tremendous amount of wear and tear on the equipment when it must be utilized for many hours at a time, and they do an outstanding job performing the repairs as quickly as possible to get the trucks back on the roads.

The Public Works Department continues to prepare for any winter emergencies that may arise. The sand and salt storage facility has received deliveries of material and training continues for the use of the Magic Salt. The Highway crews are anxiously awaiting the initiation of the pilot program for the two selected routes and analyzing the effectiveness of this material, which has been available and used by other states and municipalities for quite some time, but never utilized

in Danbury. I will continue to provide more information on this program as the winter season progresses.

Once again, the Public Buildings and Parks Maintenance Divisions partnered to perform the holiday decorating of the downtown area. This task is a huge undertaking and required a considerable amount of coordination.

Overall, the department is functioning well, and my goal of building a true team effort is starting to become evident. The benefits of working as a team, sharing equipment, manpower and other resources, are providing tremendous savings to the City.

Should you have any questions regarding this report or any of the separately submitted division reports, please call me at 797-4537.

Construction Services report submitted by Tom Hughes, Superintendent of Construction Services:

Danbury High School ADA – Work on compliance issues continues; ADA walkway signs to the stadium and fields installed. Currently working with several vendors to reduce the \$38,000 quote to modify the visitors' bleachers for ADA seating.

Kaplanis Memorial Field – The walkway bollard lighting has been installed. Several open items remain; turf establishment will be re-worked in the spring by the contractor. We have requested quotes to install a barrier-style gate at the driveway entrance to the field. This project is moving into the closeout phase.

Local Bridges – On the Rose Hill Avenue Bridge Project, Loureiro Contractors has begun the demolition stage of the existing structure. We are working with the Engineering Division to finalize plans & easements for the Backus Avenue, Padanaram Road over East Lake Brook and Padanaram Road over Margerie Brook Bridges. The City Engineer anticipates bidding these projects by the end of November. Also in conjunction with Engineering, we have inspected several bridges and continue to monitor the bridges listed to be replaced in the near future.

Winter Materials Storage Building – The dedication of the Dome has been scheduled for December 20, 2007. The building has been in use for the last four weeks.

Williams Street – Construction Services is working with the Engineering Division to install curbing, drainage, sidewalks and re-pave a section of Williams Street from West Wooster to East Pearl Street.

White Street Streetscape – The contract has been signed. We anticipate a spring start, with the utility companies relocating the poles on the north side of White Street this winter.

FEMA/Related Repairs – Construction Services completed the repairs on the Church Hill Lane and Filmore Avenue culvert/bridge. We will be moving forward on the repairs to Candlewood Park, Padanaram Reservoir Overflow/Stream Bed, Rowan Street Park, Rogers Park East Ditch sedimentation removal and debris removal under the West Street Bridge.

FEMA Grant – Construction Services is in the process of identifying several flood mitigation projects and applying for an FMA (Flood Mitigation Assistance) Grant.

Rogers Park – For Westerners' Field, the drainage work was done in-house; the infield reconstruction has been completed. The outfield has been aerated, seeded and fertilized. We have sent a soil sample to the State Agricultural Experiment Station for suggested treatments (type of fertilizer and amounts with recommended nitrogen release).

Bardo Parking Garage – Administration of this project by the Construction Services Division continues. The garage opened almost a month early within budget.

Jenny Drive – The access road construction has been completed, making the connection between Jenny Drive and Briar Ridge Road ERS access. The gate and siren activated automated gate opener components have been ordered.

Engine Company 24 – Construction Services is assisting the Fire Department in obtaining a proposal from one of our on-call structural engineers to assess the building's structural issues.

Spray Parks – We are in the process of obtaining several quotes to develop two additional sprayscapes, one at Kenosia Park and a smaller scale version located in Rowan Street Park. The Engineering Division surveyors will do the mapping. The design will be done in-house once the funding is approved. We will continue to develop the project.

Kenosia Park/Rogers Park Soccer Fields – Construction Services has developed a quote for the Engineering Division as to the construction cost of the two new turf fields. We recommend that these fields be let out as a design/build project, which should result in a significant cost savings to the City of Danbury.

Should you have any questions regarding this report or any issues related to the Construction Services Division, please feel free to call me at 796-8069.

Engineering report submitted by Farid L. Khouri, P.E., City Engineer:

Assessment Projects: The Carolyn Avenue/Nancy Drive area sanitary sewer assessment project is complete with the exception of some punch list items. The Wood Street/East Pembroke Road area sanitary sewer installation is complete. Paving of the roads for this project will take place in December.

The Bardo (Library Place) Parking Garage is complete and the opening ceremony was held on November 29, 2007. The contractor continues to work on exterior walkways and alleyways.

Excavation for footings on the Roberts Avenue Replacement School Phase II project has commenced. Concrete work is underway.

Regarding the new Police Department Headquarters project, remediation work is progressing effectively and is almost complete. Footing work has commenced and concrete work is also underway.

As for our Traffic Division, the traffic engineer and his two technicians continue to work on the City's traffic signals to better enhance the vehicular movement on our major roads and install new traffic signals. They also perform reviews of land use development projects.

Staff Engineers review various site plans, special exception and subdivision applications for approval on an ongoing basis.

Our Survey Crew has been monitoring the local reservoir levels weekly and working on various projects throughout the City.

The Padanaram Road Bridges repair projects went out to bid and the bids will be opened on December 20, 2007.

Should you have any questions regarding this report or its contents, or any other issues related to your Engineering Division, please do not hesitate to contact me at 797-4641.

Forestry report submitted by Mark Miller, Foreman of Forestry Department:

The Forestry Department was busy with its annual holiday decorating during the month of November. We installed a large wreath at the Library Plaza and hung lights on three trees. The tree was placed in the lobby at City Hall, and lights were also installed on the tree near the outside main entrance to the building. We appreciate the assistance of the Public Buildings Maintenance Department with decorating downtown.

At Danbury High School, our department cut back bushes and limbs to help improve the parking lot lighting prior to Election Day. At the request of CL&P, tree limbs at various locations on Main Street were pruned away from street lights for proper clearance. The reapplication for Tree City USA 2007 was submitted and a response is expected very soon.

Trees were pruned or removed in the following areas in November: Barnum Road, Clapboard Ridge Road, Dogwood Drive near lower Kohanza Reservoir, East Lake Road, Franklin Street, Great Plain Road, Main Street, Old Shelter Rock Road, Sand Pit Road, Staples Street, and Triangle Street.

Please contact me at 797-4609 if you should have any questions. Thank you.

Highway report submitted by Duke Hart, Superintendent of Public Services:

The Highway Department has continued to perform drainage work during the month of November as long as the weather lasts. We installed new drainage on Little John Lane and Woodbury Drive, repaired four catch basins, and have been busy backfilling all of the new curbing that was installed during the outside paving program. Our sign crew installed eight new signs and repaired damaged signs or posts at 10 other locations, in addition to patching potholes. The in-house paving crew has been installing new curbs and driveway aprons along with repairs.

The annual leaf vacuum program to remove leaves from City streets has begun and will continue until the last of this year's stubborn foliage has fallen. Our leaf bag pick up program is also in high gear, with two leaf trucks working weekly in section A (north of I 84) or section B (south of I 84) alternately. The Parks Maintenance Department provides assistance with both of these important programs as necessary.

The downtown refuse truck empties the inner City garbage cans and picks up debris and dead animals on a daily basis. We continue to work with the UNIT and the Police Department to solve the ongoing problem of personal use of the City's garbage cans.

The Highway Department's plow drivers are very anxious for the season's first snow so they can have the pleasure of using dry materials, and commencing the Magic Salt pilot program. We thank all who were responsible for providing us with the Salt & Sand Dome, a great weapon to combat winter weather and provide safe travel on our City streets.

Should you have any questions regarding this report, please feel free to contact me at 797-4605.

Parks Maintenance report submitted by Duke Hart, Superintendent of Public Services:

During November, the Parks Maintenance Department began the annual leaf vacuum program to clear fallen leaves on City property. With many of the leaves still clinging to the trees, it looks like these areas will require clearing more than once. We also began installing holiday decorations on all of the street lamp posts downtown and at Library Square in preparation for the Night of Lights on November 27, 2007.

Our department continues to assist the Forestry Department with removal of dead trees throughout the City. We also work with the Highway Department picking up leaf bags as necessary. Parks Maintenance personnel will return to some of the schools over the winter for brush and overgrowth removal.

All of the Parks Maintainers are raring to go when the first snow falls, to plow their school and City parking lots and remove snow from walkways and downtown crosswalks.

Should you have any questions regarding this report, please feel free to contact me at 797-4605.

Public Buildings report submitted by Rick Palanzo, Superintendent of Public Buildings:

During the month of November, the Public Buildings Division staff was engaged in several projects, in addition to maintenance and repair of the Danbury public and school buildings.

The contract for the new fueling station at the Public Works Complex was awarded to TMC Corporation. The clock has started and they now have 180 days to complete this work.

The next phase of the Library HVAC project (phase 1) (to replace air handling unit #4 and associated ductwork), which will improve the environmental conditions in the lower level of the library, will begin on March 3, 2008. The chiller will be requested in the 2008-2009 capital budget.

We began working with the Health Department on several projects, including new energy efficient storm windows for the homeless shelter and a new school based health center for Rogers Park Middle School.

The Public Works Complex administrative office roof has been replaced. The rehabilitation of the complex began last month. The buildings have received a fresh coat of Cadet Blue paint. This new color gives the complex an entirely new look! New building identification signage will

be installed in early December. Alterations and enhancements to the main entrance signage will take place over the next few months, weather permitting.

The renovations to the building at 1 Memorial Drive are progressing. The contracts have been awarded for the windows, siding, HVAC, and interior carpentry. The electrical and plumbing work will be performed by our Public Buildings licensed staff. The windows have been completed.

Attached please find the statistical analysis for repairs and maintenance work that the Public Buildings mechanics engaged in during the month of November. We received 175 new work requests and completed 209 work requests. In reviewing this report, you will find the repair time that was expended in major work categories (current month versus previous month). Also listed is the total number of work order hours completed (current month versus the previous month).

Our division was heavily engaged in plumbing repairs of the City's buildings and schools, with a total of 236.00 man-hours dedicated to this service. The next area of concentration was in electrical repairs, utilizing 198.50 man-hours of labor. General maintenance and repairs were the third highest category with 119.50 man-hours. A total of 13.00 man-hours were spent on special projects.

Should you have any questions regarding this report, I am happy to discuss any portion with you. Please do not hesitate to contact me at 797-4584.

See appendix "A" for attachments.


Public Utilities report submitted by Dave Day, Superintendent of Public Utilities:

Enclosed is the monthly report to the Common Council for activities that took place in November 2007. Also attached is the Public Utilities Vehicle Maintenance report. As of December 18, there are 57 hydrants out of service. Repairs to hydrants are continuing.

Should you have any questions regarding this report, I will be happy to review the information with you. Please contact me at 797-4539.

See appendix "B" for attachments.

Sincerely,



Antonio Iadarola, P.E.
Director of Public Works

AI/ck

C: Tom Hughes, Construction Services Division
Farid Khouri, P.E., Engineering Division
Mark Miller, Forestry Division
Richard Palanzo, Public Buildings Division
Duke Hart, Public Services Division
David Day, P.E., Public Utilities Division

PUBLIC BUILDINGS MONTHLY REPORT NOVEMBER 2007

	<u>Labor Hours</u>	<u>Total Hours This Month</u>	<u>Total Hours Last Month</u>	<u>Difference</u>	<u>Percent Change</u>
Administration		0.00	0.00	0.00	0.00
City Bldgs	0.00				
Schools	0.00				
Carpentry		87.70	87.00	0.70	0.80
City Bldgs	0.00				
Schools	87.70				
Electrical		198.50	330.50	-132.00	-66.50
City Bldgs	0.00				
Schools	198.50				
Alarms		0.00	0.00	0.00	0.00
City Bldgs	0.00				
Schools	0.00				
HVAC		73.50	113.50	-40.00	-54.42
City Bldgs	0.00				
Schools	73.50				
Locksmith		0.00	2.00	-2.00	0.00
City Bldgs	0.00				
Schools	0.00				
Maintenance		119.50	81.50	38.00	31.80
City Bldgs	0.00				
Schools	119.50				
Mechanical		76.00	66.00	10.00	13.16
City Bldgs	0.00				
Schools	76.00				
Plowing		1.00	0.00	1.00	100.00
City Bldgs	0.00				
Schools	1.00				
Plumbing		236.00	236.00	0.00	0.00
City Bldgs	0.00				
Schools	236.00				
Roofing		0.00	0.00	0.00	0.00
City Bldgs	0.00				
Schools	0.00				

Total maintenance and repair hours = 792.20



CITY OF DANBURY
DEPARTMENT OF PUBLIC UTILITIES
155 DEER HILL AVENUE
DANBURY, CT 06810

(203) 797-4637
FAX (203) 796-1590

TO : Common Council - City of Danbury

FROM : David Day, Superintendent of Public Utilities

DATE : December 12, 2007

RE : WATER DEPARTMENT REPORT: NOVEMBER 2007

I. WATER PRODUCTION :

A) Margerie Water Treatment Facility :	<u>87.0</u>	MG.
B) West Lake Water Treatment Facility :	<u>100.9</u>	MG.
C) Kenosia Well Field :	<u>0</u>	MG.
D) Osborne Street Well Field :	<u>0</u>	MG.
E) Other :	<u>0</u>	MG.

(MG. = Million Gallons)

II. RAINFALL :

A) Month :	<u>3.7</u>	inches
B) Past 12 Month Period :	<u>60.5</u>	inches
C) Current Year (Jan.- Current Mo.) :	<u>45.9</u>	inches

III. WATER STORAGE :

date: 11/5/2007

	<u>Current Reading</u>		<u>Historical Average</u>	
A) East Lake Reservoir :	<u>72.0</u>	%	<u>74.5</u>	%
B) Margerie Lake Reservoir :	<u>70.0</u>	%	<u>77.7</u>	%
C) West Lake Reservoir :	<u>66.9</u>	%	<u>76.2</u>	%
D) Total :	<u>68.8</u>	%	<u>76.5</u>	%

IV. WATER PUMPED :

A) Park Avenue Pump Station :	<u>0</u>	<u>MG.</u>
B) Padanaram(High School) Pump Station :	<u>4.33</u>	<u>MG.</u>
C) Shelter Rock Pump Station :	<u>2.29</u>	<u>MG.</u>
D) WestConn Pump Station :	<u>1.79</u>	<u>MG.</u>
E) Margerie Pump Station :	<u>1.34</u>	<u>MG.</u>
F) Pleasant Acres:	<u>1.49</u>	<u>MG.</u>
G) Nabby Road:	<u>1.49</u>	<u>MG.</u>
H) Harvest Hill:	<u>3.63</u>	<u>MG.</u>
I) West Lake High Service :	<u>55.1</u>	<u>MG.</u>
J) Total Water Pumped (A-I) :	<u>71.5</u>	<u>MG.</u>
	<u>(MG. = Million Gallons)</u>	

V. WATER TRANSFERRED :

A) East Lake to Margerie Reservoir :	<u>0</u>	<u>MG.</u>
B) Padanaram to Margerie Reservoir :	<u>1.8</u>	<u>MG.</u>
C) Kohanza to West Lake Reservoir :	<u>0</u>	<u>MG.</u>
D) Kenosia Diversion to West Lake Reservoir :	<u>80.9</u>	<u>MG.</u>
E) Kenosia Wells to West Lake Reservoir :	<u>0</u>	<u>MG.</u>
F) Total Water Transferred (A-E):	<u>82.7</u>	<u>MG.</u>
	<u>(MG. = Million Gallons)</u>	

VI. ALGAE CONTROL :

- A) None
- B) _____
- C) _____

VII. SURVEY OF WATER SOURCES :

- A) Daily testing of treated and untreated water by Water Quality Lab.
- B) _____
- _____

VIII. SUPERINTENDENTS NOTES :



CITY OF DANBURY
DEPARTMENT OF PUBLIC UTILITIES
155 DEER HILL AVENUE
DANBURY, CT 06810

(203) 797-4637
FAX (203) 796-1590

M E M O R A N D U M

DATE: December 17, 2007
TO: City of Danbury, Common Council
FROM: David M. Day, P.E., Superintendent – November 2007
RE: Sanitary Sewer Collection System Maintenance

Complaints: 15

Number Received: 15

Number Completed: 15

Pipe Cleaned: 1,000 LF

Gallons of Water Used: 8,000

Pipe Inspected:

COMMENTS:

CITY OF DANBURY
PUBLIC UTILITIES

DEC 13 2007

Discard Date _____
Permanent _____
File Code _____

To: David Day, P.E., Supt. of Public Utilities, City of Danbury

From: Walter Royals, Project Manager

Walter Royals

Subject: WPCP Report For Month of: November, 2007

Date: 12/13/07

I. Wastewater Treatment:

A) Sewage Processed:	7.7 MGD (Daily Avg)	230.4 Million Gallons Total
B) Septic Waste Processed:		1,290,805 Gallons Total
C) Sludge Pumped To Digesters:		425,607 Pounds Total

II. Wastewater Quality

	Influent	Effluent	% Removal	Effluent Limit
A) BOD (mg/l)	299	6	98	30 mg/l and 85%
B) Total Suspended Solids (mg/l):	316	7	97.8	30 mg/l and 85%
C) Total Phosphorus (mg/l):	5.5	3.3	40	1.0 mg/l
D) Ammonia (mg/l):	28.0	0.34	99	4.0 mg/l
E) Total Nitrogen (lbs/Day):	3,126	1,670	47	643 lbs/day

Note: Phosphorus limits apply May - September.

Nitrogen limit for credit trading only.

III. Pump Station Operation:

A) Beaver Brook:	717.2 Hours Run
B) Southfield:	27.0 Hours Run
C) Mill Plain:	720.0 Hours Run
D) Backus:	143.8 Hours Run
E) Tarrywile	312.7 Hours Run
F) Turner Road:	46.0 Hours Run
G) Ford Avenue:	21.0 Hours Run
H) Indian Glen:	76.1 Hours Run
I) Delay Street:	33.2 Hours Run
J) Hayestown Road:	46.0 Hours Run
K) Kenosia Avenue:	2.6 Hours Run
L) Larson Drive:	47.2 Hours Run
M) Landfill:	134.0 Hours Run

Total Station Alarms:

9

EQUIPMENT MAINTENANCE

BUILDING #4

NOVEMBER 2007

UNIT	NET PRICE	TOTAL		
DATE	VEHICLE	REPAIR DONE	DEPT.	
11/1/2007	124DA	WIPERS/WASHERS/TRANS. FLUID	AIRPORT	
	214DA	REPLACE GLOBE VALVES	HIGHWAY	
	06-E-40	RADIATOR SUPPORT BRACKETS	HIGHWAY	
	172DA	INSTALL DUMPBODY MOTOR	PARKS	
	64DA	BRAKES/LIGHTS	PUBLIC BLDGS	
11/2/2006	124DA	LIGHTS/CHANGE TRANS FLUID	AIRPORT	
	01-E-83	SIDE BROOM ADJUSTMENT ROD	HIGHWAY	
	94-I-91	BEARING BROKEN	HIGHWAY	
11/3/2007	116DA	REMOVE CUTTERHEAD ASSEMBLY	HIGHWAY	
	92-F-74	SERVICE/BRAKES	HIGHWAY	
11/5/2007	186DA	COOLANT LEAK/SERVICE	PUBLIC BLDGS	
	92-F-74	SERVICE/BRAKES	HIGHWAY	
	90-I-28	ROAD SERVICE-JUMP START	HIGHWAY	
	42DA	AIR LEAK	FORESTRY	
	97-I-29	TARP WON'T RELEASE	HIGHWAY	
	03-S-11	AIR LEAK	HIGHWAY	
	42DA	ROAD SERVICE-COOLANT LEAK	FORESTRY	
11/6/2007	03-S-11	SERVICE TENCO BODY	HIGHWAY	
	06-E-40	REPLACE SIDE BROOM SHEAR PIN	HIGHWAY	
	286DA	INTAKE MANIFOLD LEAK	PUBLIC BLDGS	
	03-I-9	JUMP START/TENCO BODY	HIGHWAY	
	42DA	COOLANT LEAK	FORESTRY	
	00-I-3	TAILGATE LATCH STUCK	HIGHWAY	
	05-I-31	MOUNT SANDER	HIGHWAY	
11/7/2007	94-I-91	WIRE JET RODDER	HIGHWAY	
	90-I-5	REMOVE WATER TANK	HIGHWAY	
	97-I-29	MOUNT SANDER	HIGHWAY	
	181DA	ADJUST BRAKES	HIGHWAY	
	01-E-83	ROAD SERVICE-REPLACE SIDE BROOM SHEAR PIN	HIGHWAY	
	314DA	CUT GLAD HAND OFF HOSE	HIGHWAY	
	00-I-87	MOUNT SANDER	HIGHWAY	
	286DA	INTAKE MANIFOLD LEAK	PUBLIC BLDGS	
	00-I-7	MOUNT SANDER	HIGHWAY	
11/8/2007	06-E-40	SIDE BROOM	HIGHWAY	
	286DA	INTAKE MANIFOLD LEAK	PUBLIC BLDGS	
11/9/2007	272DA	MIRROR-BODY BED	PARKS	
	01-E-83	2 SIDE BROOMS	HIGHWAY	
	04-JD-67	AIR-UP TIRES	HIGHWAY	
	97-JD-82	REPAIR HYDRAULIC FITTINGS	HIGHWAY	
	247DA	REMOVE PLOW/HYDRAULIC LEAK	PUBLIC BLDGS	
	210DA	WELD PLOW	PUBLIC BLDGS	
	00-I-3	SERVICE/MOUNT SANDER	HIGHWAY	
	90-I-5	REMOVE WATER TANK	HIGHWAY	
	06-E-40	ROAD SERVICE-ENGINE DIED OUT	HIGHWAY	
	124DA	HOOD STRUTS/HYDRAULIC HOSES	AIRPORT	
	00-I-21	ROAD SERVICE-POWER STEERING HOSE	HIGHWAY	
11/10/2007	90-I-5	MOUNT SANDER	HIGHWAY	
	90-I-12	MOUNT SANDER	HIGHWAY	
	97-I-85	MOUNT SANDER	HIGHWAY	
11/13/2007	239DA	SERVICE	ENGINEERING	

EQUIPMENT MAINTENANCE

BUILDING #4

NOVEMBER 2007

ITEM	QTY	PART #	DESCRIPTION	PROPOSED	% DISCO	PUBLIC BLDGS
		286DA	DISCREPANCY			
		97-JD-82	HYDRAULIC FITTINGS			HIGHWAY
		94-I-48	REPLACE DIMMER SWITCH			HIGHWAY
		03-S-30	REAR BRAKES			HIGHWAY
		90-I-12	MOUNT SANDER			HIGHWAY
		05-I-1	MOUNT SANDER			HIGHWAY
11/14/2007		03-S-30	REAR BRAKES/SERVICE			HIGHWAY
		172DA	DUMPBODY PROBLEM			PARKS
		05-I-1	MOUNT SANDER			HIGHWAY
		272DA	REAR FLAT REPAIR			PARKS
		06-E-40	MAIN BROOM			HIGHWAY
		90-I-12	SERVICE			HIGHWAY
		94-I-15	ROAD SERVICE-BRAKE AIR LEAK			HIGHWAY
11/15/2007		90-I-12	SERVICE			HIGHWAY
		03-S-30	SERVICE TENCO BODY			HIGHWAY
		90-I-28	ROAD SERVICE-JUMP START			HIGHWAY
		136DA	SERVICE/LIGHTS/CHECK BRAKES			BLDG INSP
		90-LM-135	WELD FAN ON FAN HOUSING			HIGHWAY
		00-I-19	TIRES/MOUNT SANDER/SERVICE			HIGHWAY
11/16/2007		00-I-19	TIRES/MOUNT SANDER/SERVICE			HIGHWAY
		00-I-21	MOUNT SANDER			HIGHWAY
		90-I-28	ROAD SERVICE-JUMP START			HIGHWAY
		00-I-8	MOUNT SANDER			HIGHWAY
		07-P-25	REPAIR SPINNER CONTROL			HIGHWAY
11/17/2007		00-I-19	TIRES/MOUNT SANDER/SERVICE			HIGHWAY
		355DA	SERVICE			PARKS
		194DA	SERVICE			PARKS
		05-I-26	PTO INOP.-ELECTRICAL			HIGHWAY
11/19/2007		05-I-26	PTO INOP.-ELECTRICAL			HIGHWAY
		00-I-19	TIRES/MOUNT SANDER/SERVICE			HIGHWAY
		187DA	SERVICE			PARKS
		97-I-85	LIGHTS/SERVICE			HIGHWAY
		06-E-40	RIGHTSIDE SIDE BROOM CHAIN			HIGHWAY
		03-S-30	FRONT WHEEL OIL CAP			HIGHWAY
		97-E-100	ROAD SERVICE-DRAGBOARD STUCK			HIGHWAY
		94-I-4	FRONT END REPAIR			HIGHWAY
11/20/2007		97-I-85	LIGHTS/SERVICE			HIGHWAY
		94-I-4	FRONT END REPAIR			HIGHWAY
		172DA	REPAIR DUMPBODY			PARKS
		180DA	REPLACE HYDRAULIC HOSES			HIGHWAY
		252DA	SERVICE/REAR BRAKES			PUBLIC BLDGS
11/21/2007		252DA	SERVICE/REAR BRAKES			PUBLIC BLDGS
		94-I-4	STROBE LIGHTS			HIGHWAY
		172DA	DUMPBODY PROBLEM			PARKS
		07-D-49	INSTALL TOO BOX			HIGHWAY
		92DA	SERVICE/TIRES/DOOR			FORESTRY
11/26/2007		92DA	SERVICE/TIRES/DOOR			FORESTRY
		94-I-4	STROBE LIGHTS			HIGHWAY
		99-F-105	ROAD SERVICE-JUMP START			HIGHWAY
		161DA	INSTALL TOO BOX			FORESTRY
		01-E-83	ROAD SERVICE-SIDE BROOM BOLTS			HIGHWAY

EQUIPMENT MAINTENANCE
BUILDING #4
NOVEMBER 2007

	05-I-32	REPLACE AUGER CHAIN	HIGHWAY
	75DA	INSTALL FRONT MARKER PLATE	BLDG INSP
11/27/2007	92DA	SERVICE/TIRES/DOOR	FORESTRY
	05-I-32	REPLACE AUGER CHAIN	HIGHWAY
	05-I-26	ELECTRICAL PROBLEM	HIGHWAY
	90-I-28	SERVICE TENCO BODY	HIGHWAY
	96-I-20	SERVICE TENCO BODY	HIGHWAY
	181DA	ADJUST BRAKES	HIGHWAY
	06-E-40	ROAD SERVICE-SIDE BROOM SHEAR PIN	HIGHWAY
	96-I-33	AUGER CHAIN/GEARS	HIGHWAY
	97-I-86	LIGHTS/SERVICE TENCO BODY	HIGHWAY
11/28/2007	96-I-33	AUGER CHAIN/GEARS	HIGHWAY
	97-I-86	LIGHTS/SERVICE TENCO BODY	HIGHWAY
	90-LM-135	REPLACE TRAILER LIGHT PLUG	HIGHWAY
	151DA	INSTALL TOOL BOX	ENGINEERING
	05-I-26	ELECTRICAL-SEND TO ALL-TECH AUTO	HIGHWAY
	01-F-41	WELD TAILGATE SAFETY CHAIN	HIGHWAY
	LEAF BLOWER	NO START	HIGHWAY
	02-I-14	REAR BRAKES/LIGHTS/AUGER	HIGHWAY
	90-I-47	SERVICE TENCO BODY	HIGHWAY
	01-E-83	SIDE BROOMS	HIGHWAY
11/29/2007	90-I-47	SERVICE TENCO BODY	HIGHWAY
	02-I-14	REAR BRAKES/LIGHTS/AUGER	HIGHWAY
	90-I-28	FRONT FLAT TIRE	HIGHWAY
	97-I-23	SERVICE TENCO BODY	HIGHWAY
	123DA	SERVICE/CHECK LIGHTS	AIRPORT
	07-D-49	SERVICE	HIGHWAY
	06-E-40	SIDE BROOMS	HIGHWAY
	01-F-50	PLOW LIGHTS	HIGHWAY
11/30/2007	01-F-50	PLOW LIGHTS	HIGHWAY
	90-I-47	AIR PRESSURE SWITCH/BUZZER	HIGHWAY
	07-P-18	CHECK LIGHTS	HIGHWAY
	123DA	SERVICE TRANSMISSION/LIGHTS/REPAIR CAB SHEILD	AIRPORT
	06-E-40	ROAD SERVICE-EXHAUST PROBLEM	HIGHWAY
	90-I-28	ROAD SERVICE-JUMP START	HIGHWAY
	94-I-48	MOUNT SANDER	HIGHWAY

MAINTENANCE BUILDING #6 VEHICLE REPORT

11/1/2007	DET	POLICE	LOW COOLENT LIGHT
	109DA	WATER	ANTIFREEZE LEAK
	15DA	POLICE	SUSPENTION
11/2/2007	DET	POLICE	SERVICE
	334DA	POLICE	SERVICE
	176DA	WATER	SERVICE
11/5/2007	DET	POLICE	SERVICE
	DET	POLICE	SERVICE
	109DA	WATER	WHEEL BEARINGS
	115D	ENG	HORN
11/6/2007	DET	POLICE	SERVICE
	DET	POLICE	SERVICE
	16DA	TRAFFIC	LIGHTS
	109DA	WATER	BRAKES
11/7/2007	259DA	POLICE	OVERHEATING
	132DA	WATER	WATERPUMP
11/8/2007	132DA	WATER	BRAKES
	259DA	POLICE	BRAKE LINE
	257DA	POLICE	SERVICE
11/9/2007	113DA	POLICE	ENGINE LIGHT
	132DA	WATER	BRAKES
	259DA	POLICE	OVERHEATING
11/16/2007	98DA	WATER	WIPERS SERVICE ECT.
	157DA	POLICE	IGNITION SWITCH
	186DA	POLICE	SERVICE
11/26/2007	14DA	POLICE	ALTERNATOR
	157DA	POLICE	NO START
	176DA	WATER	TIRES
11/27/2007	243DA	POLICE	SERVICE TIRE LIGHT
	157DA	POLICE	NO START
		HEALTH	SEALS PLATES NEW CARS
11/28/2007	157DA	POLICE	NO START
	240DA	POLICE	LIGHTS
	223DA	POLICE	FLAT
	226DA	WATER	RADATOR
	205DA	HEALTH	R/C JUMP START
11/29/2007	226DA	WATER	WHEEL HUB
	257DA	POLICE	DEAD
	269DA	HEALTH	PLATES REG
11/30/2007	226DA	WATER	WHEEL HUB
	261DA	POLICE	FLAT
	257DA	POLICE	ALTERNATOR