

CITY OF DANBURY
DEPARTMENT OF PUBLIC WORKS



155 DEER HILL AVENUE
DANBURY, CONNECTICUT 06810
(203) 797-4537 FAX (203) 796-1586

MAYOR
Honorable Mark D. Boughton

PUBLIC WORKS DIRECTOR
Antonio Iadarola, P.E.

September 26, 2006

Honorable Mayor Mark D. Boughton
Honorable Members of the Danbury Common Council
155 Deer Hill Avenue
Danbury, CT 06810

RE: Monthly report for the month of August 2006

Dear Mayor Boughton and Members of the Common Council:

I am pleased to present to you the Public Works Department monthly report for the month of August. As indicated in my July report, I have compiled all the individual division reports under one cover to serve as a complete department report. All associated spreadsheets for the individual divisions are included in the attachments located at the end of the report.

I have implemented a weekly Director's meeting for all of the seven division supervisors. The goal is to have better communications regarding projects that may have an impact on other divisions, provide an opportunity to share past experience on dealing with the many issues that impact Public Works as a whole, discuss the sharing of resources including equipment, personal (in accordance to bargaining unit contracts), and materials. In the future, these meetings should provide an opportunity to further develop teamwork, trust, loyalty to each other and the City, mentoring for personal and professional development and much needed cross training.

In the month of August, the discussions at these meetings focused on filling of current and future vacancies in order to control overtime, the Director's expectations for the management of the Department, dealing with the numerous drainage complaints by using the in-house design-built team made of up Engineering and Highways, the Directors initiative in improving and more efficiently dealing with the communication and response

to Q-Alerts and other citizen complaints and finally the scooping and in-house assignments of duties for the refurbishing of the infields and the lighting project at Rogers Park.

Should you have any questions regarding this report or any of the separately submitted divisions reports, please call me at 797-4537.

Engineering Report submitted by the Farid Khouri, City Engineer:

Assessment projects: Milling in the Jackson Drive/Woodbury Drive sanitary sewer project area has started and paving will follow. Residences can connect to sewer laterals after paving is complete. The Nancy Drive/Carolyn Avenue area sanitary sewer assessment project continues to move forward. Road closure and coordination between the two projects is essential at this time. We are completing punch list items on Hawthorne Terrace water assessment and Shore Road reconstruction project (contract I). We are exploring sites to drill a well for phase II of the Hawthorne Terrace project.

Regarding Engine 26, groundbreaking ceremony is scheduled for September 15, 2006 and clearing and grubbing will start soon after.

With respect to the Library Place Parking Garage, contractor is mobilizing to start footing excavation and tree clearing.

As far as the Kaplanis Memorial Field project, construction is progressing rapidly with H.I. Stone & Son contractor on site. Site clearing has started and the contractor will start stripping topsoil and exposing ledge.

The Rogers Park Middle School renovations are underway with the majority of the work being done by the end of this year. The Roberts Avenue Replacement School Phase I site clearing and demolition has been completed, and we be visiting the State Facility Unit for approval on Phase II in September 12, 2006. We are expecting to bid the project by the beginning of the year.

Police Department Headquarter preliminary design is complete. The Architect with the input from the Police Department and the design team are preparing final plans to the site and the building.

Should you have any questions regarding this report or any of its contents, or for that matter any other issues related to your Engineering Department, please do not hesitate to contact me at 797-4641

Highway Department report submitted by Duke Hart, Superintendent of Highway:

The Highway Departments in the month of August has been continuing its paving operation. We have paved Hayestown Avenue, East Hayestown Avenue, Tamarack and New Street. Drainage improvements were necessary and were made to these roadways prior to paving. We also continue our new drainage installation at Driftway Point Road and installed new drainage and basins at Long Ridge Road and Cedarcrest Drive as well. Repairs to existing drainage were made at ten (10) locations. Sweeping of city streets continue. Sightline problems continue to be investigated and corrected as well as curbing and driveway apron repairs. The Highway Department continues to repair potholes throughout the city's roadway system.

Should you have any questions regarding this report, please feel free to contact me at 797-4605.

Parks and Recreation Maintenance report submitted by Joseph Pacific, General Foreman:

The Parks Department continues mowing all of the City of Danbury building throughout the city including all of the schools. In addition to that we were trimming shrubs, maintaining flowerbeds at various locations. We maintain all of athletic fields weekly (painting lines) for the fall sports.

Should you have any questions regarding this report, please feel free to contact me at 796-1558.

Forestry Department report submitted by Mark Miller, Foreman Forestry Department:

All damaged trees were removed from the following locations: Old Ridgebury Road, Hawthorne Terrace, Deer Hill Avenue, 159 Brushy Hill Road, Eastwood Street, Stillmen Avenue, Shelter Rock Road, Starrs Plain Road, Valley Road, 7 Sherry Lane.

The Tree Department removed the following dead trees: 45 Stone Street, Fillmore Avenue, and Reservoir St. One large Maple at 204 Westville Ave. and a Norway maple at 11 High Street Ext. One Gum Tree at Danbury High School and dead Elms at Rockwell Road.

We trimmed trees for traffic lights at down town locations for the Traffic Department. At Rogers Park Middle School 5 stumps were removed for a walkway. At Great Plain and Stadley Rough we removed playground equipment and backstops. At the new Sprayscape we removed two Locust stumps and did landscaping. We will start cutting and trimming at Highland Avenue Park.

Should you have any questions regarding this report, please feel free to contact me at 797-4609.

Public Buildings report submitted by Rick Palanzo, Superintendent of Public Buildings:

Attached please find the statistical analysis for repairs and maintenance work that the Public Buildings Mechanics engaged in during the month of August. In the month of August we received 357 new work requests and completed 266 work requests. In reviewing this report, you will find the repair time that was expended in major work categories, (current month versus previous month). Also listed is the total number of work order hours completed, (current month versus the previous month).

Our department was heavily engaged in mechanical repairs of the City's buildings and schools with a total of 279. Man-hours dedicated to this service. The next largest area of concentration was in electrical repairs, utilizing 171.50 man-hours of labor. Fire Alarms repairs were the third highest category with 69.50 man-hours.

Should you have any questions regarding this report, please do not hesitate to contact me at 797-4584.

See appendix "A" for attachments

Public Utilities report submitted by David Day, Superintendent of Public Utilities:

The Public Utilities Department continues to service fire hydrants throughout the city. As of this month there are 88 hydrants out of service.

Attached you will find reports from the Water Department and Equipment Maintenance Department.

Should you have any questions regarding this report, please do not hesitate to contact me at 797-4539

See appendix "B" for attachments

AI/cbp

Cc: Farid Khouri – Engineering

Rick Palanzo – Public Buildings

David Day – Public Utilities

Joe Pacific – Parks & Rec. Maintenance

Mark Miller – Forestry Dept.

Appendix “A”
Public Buildings Attachments

MONTHLY REPORT
AUGUST 2006

	<u>LABOR HOURS</u>	<u>TOTAL HOURS THIS MONTH</u>	<u>TOTAL HOURS LAST MONTH</u>	<u>DIFFERENCE</u>	<u>PERCENT CHANGE</u>
ADMINISTRATION		120.00	82.50	37.50	45.45
CITY BLDGS	60.00				
SCHOOLS	60.00				
CARPENTRY		0.00	0.00	0.00	0.00
CITY BLDGS	0.00				
SCHOOLS	0.00				
ELECTRICAL		171.50	99.50	72.00	72.36
CITY BLDGS	96.00				
SCHOOLS	75.50				
FIRE ALARMS		69.50	0.00	0.00	0.00
CITY BLDGS	0.00				
SCHOOLS	0.00				
HVAC		60.00	73.00	-13.00	-17.80
CITY BLDGS	5.50				
SCHOOL	54.50				
LOCKSMITH		0.00	7.50	0.00	0.00
CITY BLDGS	0.00				
SCHOOL	0.00				
MAINTENANCE		8.00	36.00	-28.00	-77.78
CITY BLDGS	3.00				
SCHOOLS	5.00				

MONTHLY REPORT
AUGUST 2006

	<u>LABOR HOURS</u>	<u>TOTAL HOURS THIS MONTH</u>	<u>TOTAL HOURS LAST MONTH</u>	<u>DIFFERENCE</u>	<u>PERCENT CHANGE</u>
--	---------------------------	--------------------------------------	--------------------------------------	--------------------------	------------------------------

MECHANICAL		279.00	138.50	140.50	101.44
CITY BLDGS	272.00				
SCHOOLS	7.00				

PLOWING		0.00	0.00	0.00	0.00
CITY BLDGS	0.00				
SCHOOLS	0.00				

PLUMBING		27.00	52.50	-25.50	-48.57
CITY BLDGS	7.50				
SCHOOLS	19.50				

ROOFING		12.00	0.00	0.00	0.00
CITY BLDGS	0.00				
SCHOOLS	0.00				

COMPLETED WORK HOURS

750.50

Appendix “B”
Public Utilities Attachments



CITY OF DANBURY
DEPARTMENT OF PUBLIC UTILITIES
155 DEER HILL AVENUE
DANBURY, CT 06810

(203) 797-4637
FAX (203) 796-1590

TO : Common Council - City of Danbury
FROM : David Day, Superintendent of Public Utilities
DATE : September 22, 2006
RE : WATER DEPARTMENT REPORT : AUGUST 2006

I. WATER PRODUCTION :

A) Margerie Water Treatment Facility :	<u>103.6 MG.</u>
B) West Lake Water Treatment Facility :	<u>143.6 MG.</u>
C) Kenosia Well Field :	<u>0 MG.</u>
D) Osborne Street Well Field :	<u>0 MG.</u>
E) Other :	<u>0 MG.</u>

(MG. = Million Gallons)

II. RAINFALL :

A) Month :	<u>7.3 inches</u>
B) Past Year (12 mos.) :	<u>71.1 inches</u>
C) Current Year (Jan.- Current Mo.) :	<u>43.2 inches</u>

III. WATER STORAGE :

A) Margerie Reservoir :	<u>97.9 %</u>
B) West Lake Reservoir :	<u>92.5 %</u>
C) East Lake Reservoir :	<u>83.5 %</u>
D) Total :	<u>93.4 %</u>

date: 8/1/2006

IV. WATER PUMPED :

A) Park Avenue Pump Station :	<u>0</u>	<u>MG.</u>
B) Padanaram(High School) Pump Station :	<u>5.20</u>	<u>MG.</u>
C) Shelter Rock Pump Station :	<u>3.52</u>	<u>MG.</u>
D) WestConn Pump Station :	<u>1.36</u>	<u>MG.</u>
E) Margerie Pump Station :	<u>0.48</u>	<u>MG.</u>
F) Pleasant Acres:	<u>2.85</u>	<u>MG.</u>
G) Nabby Road:	<u>1.00</u>	<u>*MG.</u>
H) Harvest Hill:	<u>4.09</u>	<u>MG.</u>
I) West Lake High Service :	<u>65.4</u>	<u>MG.</u>

(MG. = Million Gallons)
(* = Estimated)

V. WATER TRANSFERRED :

A) East Lake to Margerie Reservoir :	<u>79.3</u>	<u>MG.</u>
B) Padanaram to Margerie Reservoir :	<u>0</u>	<u>MG.</u>
C) Kohanza to West Lake Reservoir :	<u>0</u>	<u>MG.</u>
D) Kenosia Diversion to West Lake Reservoir :	<u>0</u>	<u>MG.</u>
E) Kenosia Wells to West Lake Reservoir :	<u>0</u>	<u>MG.</u>

(MG. = Million Gallons)

VI. ALGAE CONTROL :

- A) Margerie Reservoir - 2,750 pounds of copper sulfate
- B) West Lake Reservoir - 3,200 pounds of copper sulfate
- C) _____

VII. SURVEY OF WATER SOURCES :

- A) Radiological testing of treated water, per State / E.P.A. requirements.
- B) _____
- _____

VIII. SUPERINTENDENTS NOTES :



CITY OF DANBURY
DEPARTMENT OF PUBLIC UTILITIES
155 DEER HILL AVENUE
DANBURY, CT 06810

(203) 797-4637
FAX (203) 796-1590

M E M O R A N D U M

DATE: September 18, 2006
TO: City of Danbury, Common Council
FROM: David M. Day, P.E., Superintendent – August 2006
RE: Sanitary Sewer Collection System Maintenance

Complaints: 9

Number Received: 9

Number Completed: 9

Pipe Cleaned: 600 LF

Gallons of Water Used: 18,000

Pipe Inspected:
11 Division Street blockage – Main was flushed, cleaned and camera'd.

COMMENTS:



SEP 19 2006

Discard Date _____
Permanent _____
File Code _____

To: David Day, P.E., Supt. of Public Utilities, City of Danbury
 From: Anthony J. Bozza, Project Manager *Anthony J. Bozza 09-14-06*
 Subject: WPCP Report For Month of: August, 2006
 Date: 09/14/06

I. Wastewater Treatment:

A) Sewage Processed:	9.0 MGD (Daily Avg)	279.3 Million Gallons Total
B) Septic Waste Processed:		1,152,375 Gallons Total
C) Sludge Pumped To Digesters:		498,097 Pounds Total

II. Wastewater Quality

	Influent	Effluent	% Removal	Effluent Limit
A) BOD (mg/l)	236	2	99	30 mg/l and 85%
B) Total Suspended Solids (mg/l):	325	4	98.8	30 mg/l and 85%
C) Total Phosphorus (mg/l):	5.9	0.6	89	1.0 mg/l
D) Ammonia (mg/l):	22.0	0.32	99	1.5 mg/l
E) Total Nitrogen (lbs/Day):	2,669	2,291	14	651 lbs/day

Note: Phosphorus limits apply May - September.

Nitrogen limit for credit trading only.

III. Pump Station Operation:

A) Beaver Brook:	741.8 Hours Run
B) Southfield:	25.6 Hours Run
C) Mill Plain:	751.1 Hours Run
D) Backus:	131.2 Hours Run
E) Tarrywile	67.4 Hours Run
F) Turner Road:	32.1 Hours Run
G) Ford Avenue:	23.4 Hours Run
H) Indian Glen:	83.8 Hours Run
I) Delay Street:	310.2 Hours Run
J) Hayestown Road:	40.3 Hours Run
K) Kenosla Avenue:	6.3 Hours Run
L) Larson Drive:	54.8 Hours Run
M) Landfill:	135.5 Hours Run

Total Station Alarms: 16

EQUIPMENT MAINTENANCE - BUILDING # 6

August-06

8/1/2006	285DA	AIRPORT	TUNE UP
	17DA	POLICE	LIGHTS
	240DA	POLICE	ENGINE LIGHT
		DET	WINDOW REGULATOR
8/3/2006	274DA	WELFAR	ALTERNATOR
	209DA	POLICE	SERVICE ENGINE LIGHT
	36DA	POLICE	SERVICE ENGINE LIGHT
8/4/2006	238DA	EQP MAINT	A/C SERVICE
	327DA	POOL	COOLING FAN
	2DA	POLICE	SERVICE ENGINE LIGHT
8/7/2006	17DA	POLICE	TIRES
	238DA	EQP MAINT	A/C SERVICE
	36DA	POLICE	SERVICE ENGINE LIGHT
8/8/2006	263DA	HEALTH	SERVICE RUNS POOR
	265DA	POLICE	SERVICE
	240DA	POLICE	VIBRATION
	278DA	HEALTH	ALTERNATOR SERVICE
8/9/2006	240DA	POLICE	REAR END
	10DA	POLICE	SERVICE
	238DA	HWY	NOISE
8/10/2006	238DA	HWY	NOISE
	24DA	POOL	A/C SERVICE
	4DA	POLICE	SERVICE
	9DA	POLICE	SERVICE
8/11/2006	334DA	POLICE	LIGHTS
	240DA	POLICE	REAR END
	39DA	POLICE	SERVICE
8/14/2006	184DA	WATER	TUNE UP
	240DA	POLICE	REAR END
	11DA	POLICE	SERVICE
8/15/2006	287DA	POLICE	SERVICE
	333DA	POLICE	RUNS POOR
	184DA	WATER	SERVICE BRAKES
	240DA	POLICE	REAR END
8/16/2006	184DA	WATER	SERVICE BRAKES
	240DA	POLICE	FRONT HUB
		DET	SERVICE
	333DA	POLICE	RUNS POOR
	6DA	POLICE	ENGINE LIGHT
	KABOTA	WATER	WATERPUMP
8/17/2006	KABOTA	WATER	WATERPUMP
	263DA	HEALTH	TUNE UP
	240DA	POLICE	FRONT HUB
	6DA	POLICE	RUNS POOR
8/21/2006	191DA	ENG	RADIATOR SUPORT
8/22/2006	191DA	ENG	RADIATOR SUPORT

	223DA	POLICE	BATTERY TIRE ECT.
		DET	FRONT END
8/23/2006	223DA	POLICE	BATTERY TIRE ECT.
		DET	FRONT END
	191DA	ENG	RADIATOR SUPORT
8/24/2006	277DA	WATER	LIGHTS
	15DA	POLICE	SERVICE
	118DA	POOL	STALLING
		DET	FRONT END
8/25/2006	277DA	WATER	LIGHTS
	19DA	POLICE	SERVICE
	95DA	WATER	SERVICE BRAKES
8/28/2006	118DA	BLD 6	NO START RADIATOR
	19DA	POLICE	FRONT END
	277DA	WATER	LIGHTS
		DET	FRONT END
8/29/2006	206DA	HWY	BRAKES SERVICE
	13DA	POLICE	BRAKES STEERING SERVICE
	337DA	POLICE	BRAKES STEERING SERVICE
8/30/2006		DET	NO START
	334DA	POLICE	SERVICE
	206DA	HWY	BRAKES
		DET	A/ FRAMES
8/31/2006	265DA	POLICE	SERVICE
	220DA	BLD	ALTERNATOR SERVICE
	177DA	POOL	BRAKES

EQUIPMENT MAINTAINCE

BUILDING #4

AUGUST 2006

<u>DATE</u>	<u>VEHICLE</u>	<u>REPAIR DONE</u>	<u>DEPT.</u>
8/1/2006	SANDERS	SEASONAL OVERHAUL	HIGHWAY
	05-I-34	TRANSMISSION LEAK	HIGHWAY
	178DA	GREASE FITTING	HIGHWAY
	03-S-30	ROAD SERVICE-JUMP START-REPLACE BATTERIES	HIGHWAY
	99-F-105	FRONT FLAT TIRE REPAIR	HIGHWAY
	355DA	COOLANT LEAK	PARKS
	01-E-83	CONVEYOR	HIGHWAY
8/2/2006	355DA	COOLANT LEAK	PARKS
	SANDERS	SEASONAL OVERHAUL	HIGHWAY
	05-D-98	SERVICE/FRONT BRAKES	HIGHWAY
	03-I-9	SERVICE TENCO BODY-EXHAUST BRAKE INOP.	HIGHWAY
	05-I-34	AIR VALVE INTAKE	HIGHWAY
8/3/2006	SANDERS	SEASONAL OVERHAUL	HIGHWAY
	03-I-9	SERVICE TENCO BODY-EXHAUST BRAKE INOP.	HIGHWAY
	65DA	REPAIR EXHAUST	FORESTRY
	178DA	WELD HAMMERHEAD	HIGHWAY
8/4/2006	SANDERS	SEASONAL OVERHAUL	HIGHWAY
	03-I-9	SERVICE TENCO BODY-EXHAUST BRAKE INOP.	HIGHWAY
	355DA	COOLANT LEAK	PARKS
	92DA	WIPER BLADES	FORESTRY
	00-I-3	ROAD SERVICE-JUMP START	HIGHWAY
8/7/2006	355DA	COOLANT LEAK	PARKS
	03-I-9	SERVICE TENCO BODY-EXHAUST BRAKE INOP.	HIGHWAY
	SANDERS	SEASONAL OVERHAUL	HIGHWAY
	00-I-3	ROAD SERVICE-JUMP START	HIGHWAY
	178DA	REPLACE UPPER CYLINDER ON DIPPER STICK	HIGHWAY
	01-E-83	MAIN BROOM/DAGBOARD	HIGHWAY
	97-E-100	SIDE BROOM	HIGHWAY
	03-I-14	CHECK STATUS OF VEHICLE	HIGHWAY
	06-E-40	SIDE BROOM	HIGHWAY
8/8/2006	SANDERS	SEASONAL OVERHAUL	HIGHWAY
	03-I-9	SERVICE TENCO BODY-EXHAUST BRAKE INOP.	HIGHWAY
	355DA	COOLANT LEAK	PARKS
	64DA	STOPLIGHT OUT	PARKS
	00-I-3	REPLACE STARTER	HIGHWAY
	05-I-26	REPLACE FRONT BUMPER	HIGHWAY
8/9/2006	326DA	FRONT FLAT TIRE REPAIR	HIGHWAY
	355DA	PERFORMANCE PROBLEM	PARKS
	00-I-3	REPLACE STARTER	HIGHWAY
	90-I-17	SERVICE TENCO BODY	HIGHWAY
	96-I-20	SERVICE TENCO BODY	HIGHWAY
	70-FL-00	INSTALL STEERING PARTS	EQUIP MAINT
	85-F-43	FUEL TANK STRAPS	HIGHWAY
8/10/2006	96-I-20	SERVICE TENCO BODY	HIGHWAY
	90-I-17	SERVICE TENCO BODY	HIGHWAY
	70-FL-00	INSTALL STEERING PARTS	EQUIP MAINT
	94-I-91	HOSE INDICATOR SEAL	HIGHWAY
	85-F-43	FUEL TANK STRAPS	HIGHWAY
	00-I-19	ROAD SERVICE-OIL LINE	HIGHWAY
	97-C-58	SERVICE	HIGHWAY

EQUIPMENT MAINTAINCE

BUILDING #4

AUGUST 2006

	181DA	SWITCH FRONT TIRES WITH #44	
	90-I-44	SWITCH FRONT TIRES WITH #181DA	HIGHWAY
	01-E-83	MAIN BROOM-DRAGBOARD	HIGHWAY
8/11/2006	62DA	BUCKET TEETH/CHECK ELECTRICAL	HIGHWAY
	97-C-58	SERVICE	FORESTRY
	01-E-83	MAIN BROOM/DRAGBOARD	HIGHWAY
	30DA	SERVICE/CHECK TAILGATE	HIGHWAY
	05-I-34	ROAD SERVICE-JUMP START	FORESTRY
8/14/2006	97-C-58	SERVICE	HIGHWAY
	355DA	REPLACE FUEL INJECTORS	HIGHWAY
	01-E-83	MAIN BROOM/DRAGBOARD	PARKS
	06-E-40	ROAD SERVICE-CONVEYOR	HIGHWAY
	70-FL-00	INSTALL STEERING PARTS	HIGHWAY
	97-I-85	REPLACE REAR TIRES	EQUIP MAINT
	133DA	HEATER HOSES/SERVICE	HIGHWAY
	97-I-27	ADJUST BRAKES	BLDG INSP
	90-I-44	BRAKE CHAMBER/ADJUST BRAKES	HIGHWAY
	106DA	SERVICE	HIGHWAY
8/15/2006	01-E-83	REPAIR DOOR HANDLE LATCH	HIGHWAY
	06-E-40	CONVEYOR	HIGHWAY
	106DA	SERVICE	HIGHWAY
	90-I-44	BRAKE CHAMBER/ADJUST BRAKES	HIGHWAY
	97-E-100	SIDE BROOM/CHECK FUEL GAUGE	HIGHWAY
	00-I-L	BODY LIFT/MIRROR	HIGHWAY
	90-I-37	SERVICE TENCO/CHECK MAXI BRAKES	HIGHWAY
	133DA	HEATER HOSES/SERVICE	HIGHWAY
	112DA	SERVICE/BRAKES/DOOR HANDLES	BLDG INSP
	85-F-43	INSTALL FUEL TANK	PUBLIC BLDG
8/16/2006	85-F-43	INSTALL FUEL TANK	HIGHWAY
	112DA	SERVICE/BRAKES/DOOR HANDLES	HIGHWAY
	00-I-8	BODY LIFT/MIRROR	BLDG INSP
	03-I-14	CHECK STATUS OF VEHICLE	HIGHWAY
	01-E-83	ROAD SERVICE-CHECK DRAGBOARD	HIGHWAY
	134DA	8 REAR TIRES	HIGHWAY
	01-E-83	BROOM/CABLE	HIGHWAY
8/17/2006	97-I-2	DOME LIGHT SWITCH	HIGHWAY
	01-E-83	BROOMS/DRAGBOARD	HIGHWAY
	00-I-8	BODY LIFT/MIRROR	HIGHWAY
	00-I-7	ABS LIGHT/MUDFLAP	HIGHWAY
	355DA	MIRROR BRACKET	HIGHWAY
	90-I-25	SERVICE/SERVICE TENCO BODY	PARKS
	56DA	ROAD SERVICE-JUMP START	HIGHWAY
	178DA	SERVICE	PARKS
	97-I-86	TENCO SERVICE	HIGHWAY
	90-I-47	TENCO SERVICE	HIGHWAY
8/18/2006	00-I-8	BODY LIFT/MIRROR	HIGHWAY
	90-I-47	TENCO SERVICE	HIGHWAY
	97-I-86	TENCO SERVICE	HIGHWAY
	06-E-40	SIDE BROOMS	HIGHWAY
	314DA	SAFETY CHAINS/STOPLIGHT	HIGHWAY
	56DA	ROAD SERVICE-JUMP START	HIGHWAY

EQUIPMENT MAINTAINCE
BUILDING #4
AUGUST 2006

	97-I-23	TENCO SERVICE	
	01-E-83	ROAD SERVICE-DRAGBOARD	HIGHWAY
	94-I-91	FUEL FILTERS	HIGHWAY
	214DA	REPAIR LIGHTS	HIGHWAY
8/21/2006	00-I-8	4 REAR TIRES	HIGHWAY
	97-I-86	TENCO SERVICE	HIGHWAY
	04-JD-67	REPAIR HYDRAULIC LEAK	HIGHWAY
	93-F-96	COOLANT LEAK-REPLACE RADIATOR	HIGHWAY
	90-I-25	TENCO SERVICE	HIGHWAY
	06-E-40	REMOVE DEBRIS IN MAIN BROOM	HIGHWAY
	97-I-2	SERVICE-DOME LIGHT SWITCH	HIGHWAY
	CONST CREW	CUT-OFF SAW WON'T START	HIGHWAY
8/22/2006	05-I-34	TENCO SERVICE	HIGHWAY
	90-I-25	TENCO SERVICE	HIGHWAY
	97-I-2	SERVICE-DOME LIGHT SWITCH	HIGHWAY
	178DA	REPAIR HYDRAULIC LEAK	HIGHWAY
	03-S-30	PLOW CONTROL VALVE PROBLEM	HIGHWAY
	01-E-83	ROAD SERVICE-DRAGBOARD	HIGHWAY
	97-C-58	ROAD SERVICE-NO POWER	HIGHWAY
	06-E-40	ROAD SERVICE-WATER SYSTEM	HIGHWAY
	00-I-16	4 REAR TIRES	HIGHWAY
8/23/2006	00-I-16	4 REAR TIRES	HIGHWAY
	97-I-2	SERVICE-DOME LIGHT SWITCH	HIGHWAY
	01-E-83	DRAGBOARD PIVOT DIRTY	HIGHWAY
	01-F-24	SERVICE	HIGHWAY
	01-F-50	SERVICE-TAILLIGHTS	HIGHWAY
	178DA	ROAD SERVICE-HYDRAULIC LEAK	HIGHWAY
	06-E-40	SIDE BROOMS	HIGHWAY
	92-F-74	REPAIR LIGHTS	HIGHWAY
8/24/2006	00-I-16	REAR BRAKE CHAMBERS/MUFFLER	HIGHWAY
	01-F-41	SERVICE-LIGHTS	HIGHWAY
	06-E-40	MAIN BROOM	HIGHWAY
	90-I-5	BATTERIES/SWITCH TO JET SANDER	HIGHWAY
8/25/2006	90-I-5	SWITCH TO JET SANDER	HIGHWAY
	97-I-85	STRAIGHTEN STEP/CHECK & ADJUST BRAKES	HIGHWAY
	272DA	REPLACE EXHAUST	HIGHWAY
	03-I-14	SERVICE TENCO BODY	PARKS
	97-I-86	ROAD SERVICE-BATTERIES/ALTERNATOR	HIGHWAY
8/28/2006	03-I-14	REPLACE BATTERIES/TENCO SERVICE	HIGHWAY
	90-I-5	SWITCH TO JET SANDER	HIGHWAY
	03-S-11	ROAD SERVICE-REPLACE BATTERIES	HIGHWAY
	96-I-33	TENCO SERVICE	HIGHWAY
	90-I-44	HEADLIGHT BULB	HIGHWAY
	56DA	REPLAXCE SERPENTINE BELT	HIGHWAY
	03-S-30	2 NEW TIRES/REBUILD HYDRAULIC CONTROL VALVE	PARKS
	30DA	WON'T GO INTO PARK	HIGHWAY
	97-I-29	STRAIGHTEN DOOR/HOOD	FORESTRY
8/29/2006	97-I-29	4 TIRES/REPAIR LIGHTS/ADJUST STEERING	HIGHWAY
	90-I-5	SWITCH TO JET SANDER	HIGHWAY
	03-I-14	TENCO SERVICE	HIGHWAY
	90-I-25	REPAIR EXHAUST/WIPER BLADES	HIGHWAY

EQUIPMENT MAINTAINCE

BUILDING #4

AUGUST 2006

	03-S-11	ROAD SERVICE-TRANS. WON'T ENGAGE	HIGHWAY
	97-I-23	REBUILD POWER STEERING BOX	HIGHWAY
8/30/2006	97-I-23	REBUILD POWER STEERING BOX	HIGHWAY
	90-I-5	SWITCH TO JET SANDER	HIGHWAY
	97-I-29	REPAIR LIGHTS	HIGHWAY
	180DA	CHECK/ADJUST BRAKES	HIGHWAY
	94-I-91	REPLACE TOP SUCTION HOSE	HIGHWAY
	252DA	SERVICE-TIRE REPAIR	HIGHWAY
8/31/2006	04-JD-67	REPAIR BOOM PIN	PUBLIC BLDG
	97-I-29	REPAIR LIGHTS	HIGHWAY
	03-S-11	CHECK TRANSMISSION	HIGHWAY
	03-I-9	REPLACE FRONT TIRESS	HIGHWAY
	97-E-100	MAIN BROOM	HIGHWAY
	05-I-34	FLAT REPAIR	HIGHWAY
	96-I-33	TENCO SERVICE	HIGHWAY